

**Table 10.6e**  
**Immunosuppression Use for Maintenance**  
**Prior to Discharge, 1998 to 2007**  
**Recipients with Intestine Transplants**

	Year of Transplant									
	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
<b>Functioning Graft at Discharge</b>	47	49	61	88	89	103	130	155	148	166
<b>With Immunosuppression Info</b>	47	49	61	88	89	103	127	152	148	166
<b>Corticosteroids</b>										
Any in Category	100.0%	93.9%	96.7%	79.5%	66.3%	67.0%	74.8%	71.1%	73.6%	77.1%
Steroids	100.0%	93.9%	96.7%	79.5%	66.3%	67.0%	74.8%	71.1%	73.6%	77.1%
<b>Cyclosporine</b>										
Any in Category	8.5%	4.1%	0.0%	0.0%	0.0%	1.0%	0.0%	0.0%	0.0%	0.0%
Sandimmune	4.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Neoral	4.3%	4.1%	0.0%	0.0%	0.0%	1.0%	0.0%	0.0%	0.0%	0.0%
<b>Tacrolimus</b>										
Any in Category	91.5%	95.9%	95.1%	97.7%	95.5%	93.2%	97.6%	96.7%	98.0%	97.0%
Tacrolimus	91.5%	95.9%	95.1%	97.7%	95.5%	93.2%	97.6%	96.7%	98.0%	97.0%
<b>Antimetabolites</b>										
Any in Category	36.2%	24.5%	21.3%	10.2%	12.4%	8.7%	8.7%	12.5%	19.6%	22.9%
Mycophenolate Mofetil	29.8%	18.4%	14.8%	3.4%	11.2%	8.7%	8.7%	12.5%	18.9%	21.1%
Mycophenolate Sodium	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Azathioprine	6.4%	6.1%	6.6%	6.8%	1.1%	0.0%	0.0%	0.0%	0.7%	1.8%
<b>mTOR Inhibitors</b>										
Any in Category	0.0%	2.0%	39.3%	21.6%	20.2%	5.8%	11.8%	12.5%	10.1%	9.0%
Sirolimus	0.0%	2.0%	39.3%	21.6%	20.2%	5.8%	11.8%	12.5%	10.1%	9.0%
Everolimus	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%

Source: OPTN/SRTR Data as of May 1, 2008.

Notes:

Individual drug percentages will not necessarily add up to the drug category percentages, as patients may be prescribed more than one drug within the same category.