

Table 11.8
Adjusted Graft Survival, Heart Transplants
Survival at 3 Months, 1 Year, 5 Years, and 10 Years

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2005 - 2006)			(Tx 2005 - 2006)			(Tx 2001 - 2006)			(Tx 1996 - 2006)		
	N	%	Std. Err.									
Total												
All	4,206	92.2%	0.4%	4,206	87.3%	0.5%	12,466	72.9%	0.5%	23,619	53.0%	0.5%
Age at Tx												
<1 Year	169	85.0%	2.9%	169	78.4%	3.4%	458	70.1%	2.6%	839	62.9%	2.3%
1-5 Years	140	90.7%	2.5%	140	85.0%	3.1%	421	72.4%	2.7%	720	59.3%	2.9%
6-11 Years	98	99.0%	1.0%	98	95.9%	2.0%	320	78.3%	2.9%	572	58.0%	3.3%
12-17 Years	213	95.3%	1.5%	213	89.7%	2.1%	552	68.5%	2.7%	937	48.2%	2.6%
18-34 Years	462	93.6%	1.1%	462	86.2%	1.6%	1,245	67.4%	1.8%	2,115	49.7%	1.7%
35-49 Years	823	93.2%	0.9%	823	89.4%	1.1%	2,483	75.4%	1.1%	4,738	55.7%	1.1%
50-64 Years	1,857	92.0%	0.6%	1,857	87.2%	0.8%	5,767	74.9%	0.7%	11,509	53.9%	0.8%
65+ Years	444	89.9%	1.5%	444	85.5%	1.7%	1,220	66.4%	1.8%	2,189	43.8%	1.8%
Recipient Ethnicity/Race												
White	2,915	92.2%	0.5%	2,915	88.2%	0.6%	8,952	75.1%	0.6%	17,783	55.5%	0.6%
African American	759	92.2%	1.0%	759	83.9%	1.4%	2,031	63.8%	1.4%	3,476	42.4%	1.4%
Hispanic/Latino	359	92.4%	1.4%	359	87.6%	1.8%	1,040	70.4%	1.9%	1,660	55.4%	2.0%
Asian	137	92.0%	2.3%	137	86.2%	2.9%	350	73.3%	2.9%	559	59.4%	3.1%
Other/Multi-race	36	91.6%	4.6%	36	77.6%	6.9%	93	74.9%	4.7%	138	55.4%	7.6%
Unknown	0	-	-	0	-	-	0	-	-	3	33.9%	20.6%
Recipient Gender												
Female	1,126	91.1%	0.9%	1,126	86.0%	1.1%	3,370	70.6%	1.0%	6,206	51.4%	1.0%
Male	3,080	92.6%	0.5%	3,080	87.7%	0.6%	9,096	73.6%	0.6%	17,413	53.7%	0.6%

Source: OPTN/SRTR Data as of May 1, 2008.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Graft survival follows individual transplants until graft failure. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on heart and heart-lung transplants.

Multi-organ transplants are excluded.

Survival rates are adjusted to the characteristics of the 3 month and 1 year cohort. See Technical Notes for details.

Table 11.8 (Continued)
Adjusted Graft Survival, Heart Transplants
Survival at 3 Months, 1 Year, 5 Years, and 10 Years

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2005 - 2006)			(Tx 2005 - 2006)			(Tx 2001 - 2006)			(Tx 1996 - 2006)		
	N	%	Std. Err.									
Total												
All	4,206	92.2%	0.4%	4,206	87.3%	0.5%	12,466	72.9%	0.5%	23,619	53.0%	0.5%
Transplant Center State												
ALABAMA	51	86.2%	4.8%	51	78.4%	5.7%	130	68.6%	4.9%	326	53.5%	3.8%
ARKANSAS	56	91.5%	3.6%	56	81.3%	5.1%	147	63.3%	5.1%	235	49.0%	4.9%
ARIZONA	100	92.1%	2.7%	100	82.3%	3.8%	213	72.0%	4.2%	362	50.6%	4.5%
CALIFORNIA	523	95.6%	0.9%	523	89.5%	1.3%	1,565	75.8%	1.4%	2,856	55.9%	1.4%
COLORADO	57	89.5%	4.0%	57	87.8%	4.3%	204	70.0%	3.7%	412	60.7%	3.2%
CONNECTICUT	35	77.7%	6.8%	35	74.9%	7.1%	104	61.0%	5.4%	245	43.7%	3.9%
DELAWARE	2	52.5%	25.0%	2	52.5%	25.0%	2	54.0%	24.8%	2	53.0%	25.1%
FLORIDA	268	91.6%	1.7%	268	85.7%	2.1%	772	75.3%	2.0%	1,351	55.2%	2.1%
GEORGIA	85	93.2%	2.7%	85	85.2%	3.8%	248	62.1%	4.2%	506	54.9%	3.1%
HAWAII	2	+	+	2	+	+	8	+	+	19	42.5%	16.4%
IOWA	15	+	+	15	+	+	62	84.7%	5.8%	132	64.6%	5.6%
ILLINOIS	145	93.1%	2.1%	145	90.4%	2.4%	408	72.2%	2.8%	787	50.3%	2.9%
INDIANA	70	89.5%	3.7%	70	88.0%	4.0%	241	65.0%	3.9%	478	47.7%	3.3%
KANSAS	15	+	+	15	+	+	30	84.3%	7.2%	76	34.7%	8.8%
KENTUCKY	51	92.0%	3.8%	51	84.0%	5.1%	163	65.3%	4.6%	332	40.3%	4.0%
LOUISIANA	41	87.7%	5.1%	41	82.7%	5.9%	211	68.4%	3.6%	515	45.5%	3.1%
MASSACHUSETTS	108	96.2%	1.9%	108	92.3%	2.6%	325	84.3%	2.4%	635	61.6%	2.9%
MARYLAND	71	88.9%	3.7%	71	86.1%	4.0%	168	72.5%	4.1%	293	45.2%	4.7%
MICHIGAN	109	94.5%	2.2%	109	86.2%	3.3%	327	74.3%	2.9%	610	43.9%	3.8%
MINNESOTA	117	92.0%	2.6%	117	86.6%	3.2%	341	76.9%	2.9%	579	58.9%	3.3%
MISSOURI	160	94.3%	1.8%	160	92.4%	2.1%	386	74.5%	2.9%	780	54.5%	2.7%
MISSISSIPPI	14	78.9%	10.4%	14	78.9%	10.4%	50	69.9%	8.0%	111	54.3%	6.3%
NORTH CAROLINA	144	90.4%	2.4%	144	85.7%	2.9%	514	74.2%	2.2%	874	52.6%	2.8%
NEBRASKA	25	82.9%	7.6%	25	74.5%	8.7%	41	51.2%	10.9%	85	34.0%	7.2%
NEW JERSEY	90	95.7%	2.1%	90	92.5%	2.7%	247	71.1%	4.0%	367	55.8%	4.4%
NEW MEXICO	0	-	-	0	-	-	2	0.0%	0.0%	36	52.1%	9.4%
NEW YORK	303	89.0%	1.8%	303	86.1%	2.0%	928	70.2%	1.8%	1,521	53.8%	2.2%
OHIO	214	90.4%	2.0%	214	87.5%	2.3%	622	75.4%	2.2%	1,316	52.8%	2.2%
OKLAHOMA	41	97.5%	2.4%	41	87.6%	5.1%	137	64.8%	5.3%	298	45.6%	4.0%
OREGON	47	97.8%	2.2%	47	97.8%	2.2%	136	82.3%	3.9%	230	66.5%	4.4%
PENNSYLVANIA	356	90.1%	1.6%	356	87.3%	1.8%	1,011	73.1%	1.7%	2,111	51.4%	1.6%
PUERTO RICO	29	94.0%	4.0%	29	91.0%	4.9%	72	75.4%	8.0%	90	74.2%	6.6%
SOUTH CAROLINA	41	92.8%	4.0%	41	85.5%	5.4%	123	76.9%	4.5%	238	66.3%	3.8%

(Continued)

Source: OPTN/SRTR Data as of May 1, 2008.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Graft survival follows individual transplants until graft failure. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on heart and heart-lung transplants.

Multi-organ transplants are excluded.

Survival rates are adjusted to the characteristics of the 3 month and 1 year cohort. See Technical Notes for details.

Table 11.8 (Continued)
Adjusted Graft Survival, Heart Transplants
Survival at 3 Months, 1 Year, 5 Years, and 10 Years

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2005 - 2006)			(Tx 2005 - 2006)			(Tx 2001 - 2006)			(Tx 1996 - 2006)		
	N	%	Std. Err.									
Transplant Center State												
TENNESSEE	86	95.4%	2.2%	86	92.0%	2.9%	325	73.3%	2.9%	636	52.9%	3.1%
TEXAS	351	93.6%	1.3%	351	86.7%	1.8%	1,046	68.8%	1.8%	1,934	51.8%	1.7%
UTAH	73	94.4%	2.7%	73	91.6%	3.2%	211	77.5%	3.9%	349	54.5%	4.8%
VIRGINIA	106	90.9%	2.7%	106	82.7%	3.6%	320	71.0%	3.0%	645	46.2%	3.1%
WASHINGTON	73	88.6%	3.8%	73	84.3%	4.3%	233	75.4%	3.9%	419	67.8%	3.5%
WISCONSIN	119	92.4%	2.4%	119	85.7%	3.2%	351	76.0%	2.9%	727	54.9%	2.7%
Primary Diagnosis												
Coronary Artery Disease	1,584	92.1%	0.7%	1,584	87.6%	0.9%	5,004	71.8%	0.9%	10,129	48.9%	0.8%
Cardiomyopathy	2,094	94.3%	0.5%	2,094	89.5%	0.7%	5,970	75.6%	0.7%	10,833	56.9%	0.7%
Congenital Heart Disease	386	79.2%	2.8%	386	71.5%	3.2%	1,103	61.2%	2.2%	1,908	50.2%	1.9%
Valvular Heart Disease	87	94.7%	2.3%	87	90.5%	3.0%	278	74.8%	3.0%	541	57.8%	3.0%
Other	42	89.8%	4.8%	42	84.8%	5.7%	78	75.0%	5.5%	128	55.1%	6.0%
Unknown	13	92.2%	7.1%	13	92.2%	7.1%	33	63.6%	12.6%	80	35.6%	8.7%

Source: OPTN/SRTR Data as of May 1, 2008.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Graft survival follows individual transplants until graft failure. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on heart and heart-lung transplants.

Multi-organ transplants are excluded.

Survival rates are adjusted to the characteristics of the 3 month and 1 year cohort. See Technical Notes for details.