

**Table 1.11b**  
**One Year Unadjusted Graft Survival by Organ and Year of Transplant, 1997 to 2006**

	Year of Transplant									
	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006
<b>Number of Transplants</b>										
Kidney: Deceased Donor	7,634	7,898	7,916	7,958	8,069	8,287	8,388	9,029	9,512	10,216
Kidney: Living Donor	3,928	4,409	4,688	5,468	6,013	6,227	6,458	6,638	6,567	6,428
Pancreas Transplant Alone	63	63	98	99	109	128	104	120	127	94
Pancreas After Kidney	130	155	218	301	302	374	344	419	342	292
Kidney-Pancreas: Kidney	841	967	930	908	886	902	866	880	895	914
Kidney-Pancreas: Pancreas	841	967	930	908	886	902	866	880	895	914
Liver: Deceased Donor	3,924	4,269	4,337	4,384	4,453	4,692	5,040	5,449	5,667	5,836
Liver: Living Donor	86	91	251	399	520	361	319	322	318	286
Intestine	60	66	67	77	112	103	109	145	161	161
Heart	2,252	2,293	2,136	2,161	2,169	2,108	2,024	1,959	2,059	2,147
Lung	908	837	863	940	1,034	1,028	1,065	1,153	1,402	1,397
Heart-Lung	62	46	51	46	27	32	28	38	34	31
<b>Survival (%)</b>										
Kidney: Deceased Donor	88.5%	88.9%	88.0%	87.9%	89.0%	89.1%	89.2%	90.0%	90.1%	90.6%
Kidney: Living Donor	94.1%	94.6%	94.4%	94.2%	94.4%	95.0%	95.4%	95.1%	95.2%	96.1%
Pancreas Transplant Alone	67.9%	77.8%	82.5%	74.5%	77.6%	80.0%	68.1%	74.6%	85.7%	75.3%
Pancreas After Kidney	73.6%	72.2%	80.0%	73.3%	82.3%	77.3%	77.6%	78.6%	76.8%	77.6%
Kidney-Pancreas: Kidney	92.1%	91.4%	91.9%	92.7%	92.2%	92.1%	92.3%	92.9%	93.7%	92.0%
Kidney-Pancreas: Pancreas	85.7%	83.5%	84.1%	84.2%	85.8%	87.1%	86.6%	85.6%	87.8%	84.1%
Liver: Deceased Donor	78.6%	79.9%	79.6%	80.8%	80.5%	82.4%	81.7%	83.0%	81.6%	83.2%
Liver: Living Donor	84.9%	70.3%	74.1%	77.7%	80.2%	80.1%	84.0%	84.2%	84.0%	85.7%
Intestine	53.3%	50.0%	49.3%	68.8%	62.3%	69.9%	77.1%	77.2%	73.3%	69.5%
Heart	84.7%	85.0%	83.2%	85.2%	85.3%	86.1%	87.4%	87.5%	87.0%	87.4%
Lung	75.6%	75.3%	75.7%	77.1%	77.3%	80.7%	82.8%	84.2%	81.2%	83.2%
Heart-Lung	59.7%	54.3%	56.9%	63.0%	74.1%	62.5%	50.0%	73.7%	76.5%	70.7%
<b>Standard Error(Pct. Pts.)</b>										
Kidney: Deceased Donor	0.4%	0.4%	0.4%	0.4%	0.3%	0.3%	0.3%	0.3%	0.3%	0.3%
Kidney: Living Donor	0.4%	0.3%	0.3%	0.3%	0.3%	0.3%	0.3%	0.3%	0.3%	0.2%
Pancreas Transplant Alone	5.9%	5.2%	3.9%	4.4%	4.0%	3.6%	4.6%	4.0%	3.1%	4.5%
Pancreas After Kidney	3.9%	3.6%	2.7%	2.6%	2.2%	2.2%	2.3%	2.0%	2.3%	2.5%
Kidney-Pancreas: Kidney	0.9%	0.9%	0.9%	0.9%	0.9%	0.9%	0.9%	0.9%	0.8%	0.9%
Kidney-Pancreas: Pancreas	1.2%	1.2%	1.2%	1.2%	1.2%	1.1%	1.2%	1.2%	1.1%	1.2%
Liver: Deceased Donor	0.7%	0.6%	0.6%	0.6%	0.6%	0.6%	0.5%	0.5%	0.5%	0.5%
Liver: Living Donor	3.9%	4.8%	2.8%	2.1%	1.7%	2.1%	2.1%	2.0%	2.1%	2.1%
Intestine	6.4%	6.2%	6.1%	5.3%	4.6%	4.5%	4.0%	3.5%	3.5%	3.6%
Heart	0.8%	0.7%	0.8%	0.8%	0.8%	0.8%	0.7%	0.7%	0.7%	0.7%
Lung	1.4%	1.5%	1.5%	1.4%	1.3%	1.2%	1.2%	1.1%	1.0%	1.0%
Heart-Lung	6.2%	7.3%	6.9%	7.1%	8.4%	8.6%	9.4%	7.1%	7.3%	8.2%

Source: OPTN/SRTR Data as of May 1, 2008.

## Notes:

Multi-organ transplants are excluded for kidney, pancreas, heart, lung, and liver survival rates.

Intestine survival includes intestine with liver and/or pancreas transplants.

Living donor transplants excluded unless explicitly listed. Heterotopic heart and liver transplants excluded.

Patient survival follows patients from first transplant of this type until death. Graft survival follows individual transplants until graft failure. Counts for patient and graft survival are different because a patient may have more than one transplant for a type organ.

See Technical Notes for complete discussion of patient and graft survival methods.