

Table 12.8
Adjusted Graft Survival, Deceased Donor Lung Transplants
Survival at 3 Months, 1 Year, 5 Years, and 10 Years

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2005 - 2006)			(Tx 2005 - 2006)			(Tx 2001 - 2006)			(Tx 1996 - 2006)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
Total												
All	2,799	91.4%	0.5%	2,799	82.5%	0.7%	7,079	49.4%	0.9%	11,415	24.3%	0.8%
Age at Tx												
<1 Year	7	61.4%	18.4%	7	61.4%	18.4%	20	29.7%	15.9%	47	29.7%	8.0%
1-5 Years	14	89.6%	8.1%	14	89.6%	8.1%	25	37.7%	13.5%	51	23.7%	7.9%
6-11 Years	21	100.0%	0.0%	21	94.4%	5.3%	58	54.4%	18.7%	111	29.4%	9.0%
12-17 Years	65	96.9%	2.1%	65	89.2%	4.0%	160	22.5%	8.1%	272	16.2%	3.5%
18-34 Years	337	90.4%	1.9%	337	83.1%	2.7%	895	42.9%	3.1%	1,501	29.6%	2.3%
35-49 Years	482	90.5%	1.3%	482	83.0%	1.7%	1,368	54.8%	1.9%	2,459	33.3%	1.6%
50-64 Years	1,577	91.6%	0.7%	1,577	82.3%	1.1%	4,014	50.4%	1.3%	6,267	20.3%	1.2%
65+ Years	296	91.9%	1.6%	296	79.1%	2.4%	539	41.7%	4.5%	707	12.8%	3.0%
Recipient Ethnicity/Race												
White	2,406	91.6%	0.6%	2,406	82.3%	0.8%	6,153	49.5%	1.0%	10,036	24.5%	0.9%
African American	232	91.6%	1.8%	232	84.8%	2.4%	540	45.9%	3.6%	819	21.2%	3.0%
Hispanic/Latino	115	90.2%	2.7%	115	84.2%	3.4%	282	47.8%	5.3%	417	30.7%	4.1%
Asian	31	80.0%	6.7%	31	74.2%	7.3%	72	62.5%	6.4%	96	19.1%	7.7%
Other/Multi-race	15	93.2%	6.2%	15	71.5%	11.7%	30	53.5%	10.3%	45	12.9%	7.9%
Unknown	0	-	-	0	-	-	2	+	+	2	+	+
Recipient Gender												
Female	1,246	91.7%	0.8%	1,246	83.0%	1.1%	3,382	48.7%	1.3%	5,525	23.7%	1.2%
Male	1,553	91.2%	0.7%	1,553	82.0%	1.0%	3,697	50.1%	1.3%	5,890	24.8%	1.1%

Source: OPTN/SRTR Data as of May 1, 2008.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Graft survival follows individual transplants until graft failure. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on lung and heart-lung transplants.

Multi-organ transplants are excluded.

Survival rates are adjusted to the characteristics of the 3 month and 1 year cohort. See Technical Notes for details.

Table 12.8 (Continued)
Adjusted Graft Survival, Deceased Donor Lung Transplants
Survival at 3 Months, 1 Year, 5 Years, and 10 Years

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2005 - 2006)			(Tx 2005 - 2006)			(Tx 2001 - 2006)			(Tx 1996 - 2006)		
	N	%	Std. Err.									
Total												
All	2,799	91.4%	0.5%	2,799	82.5%	0.7%	7,079	49.4%	0.9%	11,415	24.3%	0.8%
Transplant Center State												
ALABAMA	54	89.9%	3.9%	54	81.3%	5.1%	174	44.2%	5.2%	326	24.8%	4.3%
ARIZONA	23	82.4%	7.8%	23	73.6%	9.1%	55	54.1%	7.8%	76	16.8%	8.3%
CALIFORNIA	342	91.4%	1.5%	342	82.3%	2.1%	865	47.5%	2.8%	1,275	22.7%	2.5%
COLORADO	70	91.3%	3.4%	70	88.4%	3.8%	217	45.8%	4.6%	328	28.7%	4.6%
CONNECTICUT	0	-	-	0	-	-	0	-	-	2	0.0%	0.0%
FLORIDA	218	95.1%	1.5%	218	87.3%	2.2%	460	52.9%	3.7%	587	24.5%	4.8%
GEORGIA	53	92.8%	3.4%	53	80.0%	5.3%	125	35.4%	7.1%	175	20.1%	5.0%
IOWA	0	-	-	0	-	-	0	-	-	2	+	+
ILLINOIS	72	90.4%	3.4%	72	79.3%	4.7%	192	54.6%	5.2%	385	26.6%	4.6%
INDIANA	88	89.8%	3.2%	88	77.1%	4.5%	232	51.7%	4.5%	333	20.1%	5.2%
KENTUCKY	54	88.8%	4.2%	54	77.6%	5.6%	118	31.3%	6.8%	222	8.7%	3.6%
LOUISIANA	8	60.4%	16.4%	8	47.5%	16.6%	73	44.4%	6.3%	175	16.9%	3.7%
MASSACHUSETTS	66	87.7%	4.0%	66	78.4%	5.1%	183	41.1%	5.0%	331	23.1%	3.9%
MARYLAND	73	81.8%	4.4%	73	70.0%	5.4%	154	45.3%	5.2%	283	27.2%	4.7%
MICHIGAN	78	89.6%	3.4%	78	83.1%	4.2%	208	52.7%	4.7%	386	22.3%	4.3%
MINNESOTA	119	98.3%	1.2%	119	91.7%	2.5%	274	53.1%	4.7%	436	31.9%	3.9%
MISSOURI	135	93.0%	2.2%	135	86.6%	3.0%	409	58.3%	3.3%	766	33.9%	3.1%
NORTH CAROLINA	153	91.7%	2.2%	153	80.9%	3.2%	440	51.7%	3.5%	741	22.6%	3.2%
NEBRASKA	0	-	-	0	-	-	0	-	-	26	22.2%	8.2%
NEW JERSEY	0	-	-	0	-	-	0	-	-	9	9.3%	7.5%
NEW YORK	114	92.4%	2.4%	114	86.4%	3.2%	234	53.5%	5.9%	367	20.0%	4.7%
OHIO	147	93.2%	2.1%	147	87.0%	2.8%	394	48.2%	3.6%	559	22.2%	4.2%
OKLAHOMA	27	95.9%	4.0%	27	75.2%	8.6%	85	35.1%	7.0%	112	27.0%	6.6%
OREGON	0	-	-	0	-	-	1	0.0%	0.0%	9	12.3%	10.0%
PENNSYLVANIA	324	92.6%	1.4%	324	82.2%	2.1%	716	46.6%	2.9%	1,149	23.2%	2.5%
SOUTH CAROLINA	0	-	-	0	-	-	0	-	-	9	30.1%	14.0%
TENNESSEE	49	84.6%	5.0%	49	72.8%	6.2%	118	32.8%	7.0%	215	22.8%	4.0%
TEXAS	212	88.3%	2.2%	212	77.7%	2.9%	536	43.7%	3.0%	841	22.7%	2.5%
UTAH	10	89.3%	9.6%	10	78.6%	12.6%	46	34.6%	9.2%	90	27.4%	5.8%
VIRGINIA	127	95.6%	1.8%	127	87.2%	2.9%	313	53.8%	4.4%	477	18.3%	4.0%
WASHINGTON	94	88.8%	3.2%	94	79.9%	4.2%	241	64.0%	4.5%	334	19.8%	6.6%
WISCONSIN	89	89.9%	3.2%	89	84.2%	3.9%	216	63.9%	4.6%	389	29.1%	5.1%

(Continued)

Source: OPTN/SRTR Data as of May 1, 2008.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Graft survival follows individual transplants until graft failure. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on lung and heart-lung transplants.

Multi-organ transplants are excluded.

Survival rates are adjusted to the characteristics of the 3 month and 1 year cohort. See Technical Notes for details.

Table 12.8 (Continued)
Adjusted Graft Survival, Deceased Donor Lung Transplants
Survival at 3 Months, 1 Year, 5 Years, and 10 Years

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2005 - 2006)			(Tx 2005 - 2006)			(Tx 2001 - 2006)			(Tx 1996 - 2006)		
	N	%	Std. Err.									
Primary Diagnosis												
Emphysema/COPD	894	93.7%	0.8%	894	85.9%	1.2%	2,623	51.9%	1.4%	4,400	21.2%	1.4%
Cystic Fibrosis	429	92.4%	1.5%	429	83.6%	2.2%	1,109	49.9%	2.5%	1,848	29.7%	2.0%
Idiopathic Pulmonary Fibrosis	792	90.7%	1.0%	792	81.0%	1.5%	1,685	45.7%	2.1%	2,373	22.8%	2.0%
Alpha-1-Antitrypsin Deficiency	103	89.6%	3.0%	103	81.0%	3.8%	393	54.9%	3.2%	761	26.0%	2.7%
Primary Pulmonary Hypertension	73	83.0%	4.7%	73	72.1%	5.7%	239	51.1%	4.0%	451	26.8%	3.5%
Congenital Disease	3	58.3%	25.2%	3	58.3%	25.2%	38	50.9%	8.4%	117	32.3%	5.7%
Other	354	87.9%	1.8%	354	77.3%	2.3%	817	51.3%	2.6%	1,276	31.2%	2.4%
Unknown	151	89.7%	2.5%	151	80.7%	3.3%	175	58.3%	6.5%	189	38.0%	11.3%

Source: OPTN/SRTR Data as of May 1, 2008.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Graft survival follows individual transplants until graft failure. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on lung and heart-lung transplants.

Multi-organ transplants are excluded.

Survival rates are adjusted to the characteristics of the 3 month and 1 year cohort. See Technical Notes for details.