

**Table 5.8c**  
**Adjusted Graft Survival, Deceased Donor Kidney Transplants**  
**Survival at 3 Months, 1 Year, 5 Years, and 10 Years**

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2005 - 2006)			(Tx 2005 - 2006)			(Tx 2001 - 2006)			(Tx 1996 - 2006)		
	N	%	Std. Err.									
<b>Total</b>												
All	19,728	95.1%	0.2%	19,728	90.5%	0.2%	53,501	67.9%	0.3%	92,504	40.8%	0.3%
<b>Age at Tx</b>												
<1 Year	3	68.0%	21.1%	3	68.0%	21.1%	4	76.1%	17.6%	5	81.7%	14.6%
1-5 Years	136	97.1%	1.4%	136	92.4%	2.3%	320	79.9%	3.1%	539	62.9%	3.4%
6-11 Years	219	96.5%	1.2%	219	93.7%	1.6%	550	76.5%	2.5%	931	49.9%	2.9%
12-17 Years	667	96.6%	0.7%	667	92.1%	1.1%	1,487	63.5%	2.1%	2,386	37.8%	2.0%
18-34 Years	2,327	95.5%	0.4%	2,327	92.2%	0.6%	7,072	68.8%	0.8%	13,788	44.0%	0.7%
35-49 Years	5,338	95.8%	0.3%	5,338	92.0%	0.4%	15,683	72.1%	0.5%	29,408	47.2%	0.5%
50-64 Years	7,823	95.2%	0.2%	7,823	90.5%	0.3%	20,869	68.7%	0.5%	34,525	39.3%	0.5%
65+ Years	3,215	92.9%	0.5%	3,215	85.9%	0.6%	7,516	56.1%	0.9%	10,922	25.0%	1.0%
<b>Recipient Ethnicity/Race</b>												
White	9,340	95.4%	0.2%	9,340	90.7%	0.3%	26,254	70.0%	0.4%	47,947	44.0%	0.4%
African American	6,069	94.3%	0.3%	6,069	89.0%	0.4%	16,239	60.7%	0.6%	27,084	30.8%	0.5%
Hispanic/Latino	2,807	95.5%	0.4%	2,807	92.1%	0.5%	7,233	73.3%	0.8%	11,371	48.4%	0.9%
Asian	1,207	96.0%	0.6%	1,207	93.0%	0.7%	3,068	74.8%	1.2%	4,983	55.0%	1.3%
Other/Multi-race	305	96.0%	1.1%	305	91.9%	1.5%	706	72.0%	2.6%	1,116	38.5%	3.2%
Unknown	0	-	-	0	-	-	1	+	+	3	+	+
<b>Recipient Gender</b>												
Female	7,763	95.4%	0.2%	7,763	91.1%	0.3%	21,234	69.7%	0.4%	36,701	43.0%	0.5%
Male	11,965	95.0%	0.2%	11,965	90.1%	0.3%	32,267	66.7%	0.4%	55,803	39.3%	0.4%

Source: OPTN/SRTR Data as of May 1, 2008.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Graft survival follows individual transplants until graft failure. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on kidney and kidney-pancreas transplants.

Multi-organ transplants are excluded.

Survival rates are adjusted to the characteristics of the 3 month and 1 year cohort. See Technical Notes for details.

Donors are divided into two mutually exclusive and complete categories. All donors meeting the criteria for Expanded Criteria Donors for Kidney are classified as ECD, regardless of whether kidneys were allocated under ECD system. Non-ECDs include all other donors, including SCDs and DCDs.

**Table 5.8c (Continued)**  
**Adjusted Graft Survival, Deceased Donor Kidney Transplants**  
**Survival at 3 Months, 1 Year, 5 Years, and 10 Years**

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2005 - 2006)			(Tx 2005 - 2006)			(Tx 2001 - 2006)			(Tx 1996 - 2006)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
<b>Total</b>												
All	19,728	95.1%	0.2%	19,728	90.5%	0.2%	53,501	67.9%	0.3%	92,504	40.8%	0.3%
<b>Transplant Center State</b>												
ALABAMA	297	96.6%	1.0%	297	93.2%	1.5%	845	69.3%	2.1%	1,749	42.7%	2.0%
ARKANSAS	193	96.9%	1.3%	193	91.5%	2.0%	431	63.6%	3.9%	687	39.9%	3.2%
ARIZONA	280	96.6%	1.1%	280	93.2%	1.5%	721	77.0%	2.2%	1,233	50.4%	2.6%
CALIFORNIA	2,294	96.7%	0.4%	2,294	92.6%	0.6%	6,395	71.5%	0.8%	10,799	45.9%	0.9%
COLORADO	255	97.6%	0.9%	255	93.6%	1.5%	691	72.7%	2.5%	1,120	45.1%	2.9%
CONNECTICUT	154	96.1%	1.6%	154	92.8%	2.1%	430	72.6%	2.9%	743	42.6%	3.3%
DELAWARE	4	+	+	4	+	+	11	27.2%	17.9%	18	64.1%	14.5%
FLORIDA	1,235	95.6%	0.6%	1,235	91.5%	0.8%	3,315	70.4%	1.1%	5,753	42.7%	1.2%
GEORGIA	470	96.0%	0.9%	470	92.2%	1.2%	1,327	70.6%	1.7%	2,308	41.4%	1.9%
HAWAII	72	98.7%	1.2%	72	98.7%	1.2%	205	74.4%	4.0%	343	57.6%	4.2%
IOWA	156	97.1%	1.3%	156	94.1%	1.8%	445	68.0%	3.2%	799	36.9%	3.1%
ILLINOIS	722	94.4%	0.8%	722	88.2%	1.2%	2,060	67.8%	1.4%	3,604	39.1%	1.5%
INDIANA	295	97.3%	0.9%	295	93.2%	1.5%	906	75.7%	2.0%	1,442	57.6%	2.3%
KANSAS	142	100.0%	0.0%	142	95.7%	1.7%	396	71.2%	3.7%	673	52.0%	3.5%
KENTUCKY	215	97.2%	1.1%	215	93.1%	1.7%	633	62.2%	2.8%	1,169	31.3%	2.4%
LOUISIANA	364	94.7%	1.2%	364	89.0%	1.7%	1,082	60.8%	2.2%	1,742	34.5%	2.1%
MASSACHUSETTS	448	95.0%	1.0%	448	91.0%	1.3%	1,190	70.3%	1.9%	2,092	42.6%	2.0%
MARYLAND	435	94.6%	1.1%	435	86.4%	1.6%	1,394	59.0%	1.7%	2,514	29.5%	2.0%
MAINE	73	97.2%	1.9%	73	94.4%	2.7%	210	71.9%	4.4%	343	46.9%	4.6%
MICHIGAN	617	94.0%	0.9%	617	89.5%	1.2%	1,724	67.4%	1.5%	2,911	38.3%	1.6%
MINNESOTA	302	94.2%	1.3%	302	90.7%	1.7%	848	67.4%	2.3%	1,672	40.9%	2.0%
MISSOURI	511	95.9%	0.9%	511	92.3%	1.2%	1,217	74.5%	1.9%	2,270	42.9%	1.9%
MISSISSIPPI	24	95.7%	4.1%	24	95.7%	4.1%	135	73.3%	4.4%	283	41.2%	4.5%
NORTH CAROLINA	620	95.3%	0.8%	620	91.8%	1.1%	1,466	73.1%	1.6%	2,418	38.0%	2.0%
NORTH DAKOTA	52	90.9%	3.8%	52	87.3%	4.4%	173	62.2%	4.5%	262	38.1%	5.2%
NEBRASKA	110	91.9%	2.6%	110	89.1%	3.0%	301	68.5%	3.9%	546	40.4%	3.6%
NEW HAMPSHIRE	51	100.0%	0.0%	51	98.1%	1.9%	121	69.7%	6.9%	185	37.0%	8.4%
NEW JERSEY	423	91.1%	1.4%	423	85.2%	1.7%	1,232	60.6%	2.0%	2,135	39.8%	1.8%
NEW MEXICO	108	97.4%	1.5%	108	94.8%	2.1%	236	84.4%	3.5%	466	51.3%	3.6%
NEVADA	102	90.1%	3.0%	102	88.0%	3.2%	286	59.4%	4.7%	488	30.0%	4.0%
NEW YORK	1,461	92.7%	0.7%	1,461	87.6%	0.9%	3,282	63.5%	1.2%	5,619	38.9%	1.2%

(Continued)

Source: OPTN/SRTR Data as of May 1, 2008.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Graft survival follows individual transplants until graft failure. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on kidney and kidney-pancreas transplants.

Multi-organ transplants are excluded.

Survival rates are adjusted to the characteristics of the 3 month and 1 year cohort. See Technical Notes for details.

Donors are divided into two mutually exclusive and complete categories. All donors meeting the criteria for Expanded Criteria Donors for Kidney are classified as ECD, regardless of whether kidneys were allocated under ECD system. Non-ECDs include all other donors, including SCDs and DCDs.

**Table 5.8c (Continued)**  
**Adjusted Graft Survival, Deceased Donor Kidney Transplants**  
**Survival at 3 Months, 1 Year, 5 Years, and 10 Years**

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2005 - 2006)			(Tx 2005 - 2006)			(Tx 2001 - 2006)			(Tx 1996 - 2006)		
	N	%	Std. Err.									
<b>Transplant Center State</b>												
OHIO	659	93.0%	1.0%	659	87.6%	1.3%	1,904	64.2%	1.5%	3,742	33.4%	1.3%
OKLAHOMA	180	93.0%	1.9%	180	85.9%	2.6%	566	66.9%	2.6%	978	40.7%	2.8%
OREGON	258	95.8%	1.2%	258	92.7%	1.6%	723	69.3%	2.5%	1,169	47.7%	2.7%
PENNSYLVANIA	1,611	94.2%	0.6%	1,611	88.6%	0.8%	4,263	60.4%	1.1%	7,201	36.6%	1.0%
PUERTO RICO	148	97.9%	1.2%	148	94.5%	1.9%	367	77.9%	3.1%	498	42.8%	8.4%
RHODE ISLAND	71	95.9%	2.3%	71	91.7%	3.2%	229	66.7%	3.9%	344	29.8%	5.3%
SOUTH CAROLINA	257	95.8%	1.2%	257	90.1%	1.8%	700	62.5%	2.6%	1,222	37.5%	2.3%
SOUTH DAKOTA	61	97.1%	2.0%	61	92.7%	3.1%	168	64.8%	5.5%	267	41.1%	5.5%
TENNESSEE	531	95.5%	0.9%	531	90.2%	1.3%	1,461	64.4%	1.8%	2,434	34.4%	1.7%
TEXAS	1,581	94.3%	0.6%	1,581	89.9%	0.8%	4,346	69.9%	1.0%	7,474	43.3%	1.1%
UTAH	138	97.1%	1.4%	138	94.8%	1.9%	423	76.1%	2.8%	757	51.5%	3.2%
VIRGINIA	496	97.0%	0.8%	496	91.6%	1.2%	1,201	66.9%	1.9%	2,051	37.6%	1.8%
VERMONT	53	96.5%	2.4%	53	92.8%	3.4%	88	85.0%	4.3%	161	58.3%	6.9%
WASHINGTON	341	98.3%	0.7%	341	94.8%	1.2%	1,109	75.7%	1.8%	1,902	42.4%	2.2%
WISCONSIN	534	94.9%	0.9%	534	89.3%	1.3%	1,483	64.3%	1.8%	2,473	39.2%	1.8%
WEST VIRGINIA	77	96.1%	2.2%	77	90.8%	3.3%	228	67.2%	4.3%	495	36.7%	3.5%
<b>Primary Diagnosis</b>												
Other	1,616	95.3%	0.5%	1,616	90.7%	0.7%	4,335	69.0%	1.0%	7,503	44.1%	1.1%
Unknown	155	92.0%	2.2%	155	87.2%	2.7%	730	67.8%	2.2%	1,365	42.0%	2.4%

Source: OPTN/SRTR Data as of May 1, 2008.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Graft survival follows individual transplants until graft failure. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on kidney and kidney-pancreas transplants.

Multi-organ transplants are excluded.

Survival rates are adjusted to the characteristics of the 3 month and 1 year cohort. See Technical Notes for details.

Donors are divided into two mutually exclusive and complete categories. All donors meeting the criteria for Expanded Criteria Donors for Kidney are classified as ECD, regardless of whether kidneys were allocated under ECD system. Non-ECDs include all other donors, including SCDs and DCDs.