

Table 5.12a
Adjusted Patient Survival, Deceased Donor non-ECD Kidney Transplants
Survival at 3 Months, 1 Year, 5 Years, and 10 Years

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2005 - 2006)			(Tx 2005 - 2006)			(Tx 2001 - 2006)			(Tx 1996 - 2006)		
	N	%	Std. Err.									
Total												
All	13,932	98.5%	0.1%	13,932	96.4%	0.2%	38,151	84.9%	0.3%	66,494	64.1%	0.3%
Age at Tx												
<1 Year	3	+	+	3	+	+	4	+	+	5	+	+
1-5 Years	136	99.4%	0.6%	136	96.9%	1.5%	320	94.0%	1.4%	535	87.4%	2.0%
6-11 Years	219	99.1%	0.6%	219	98.6%	0.8%	547	95.8%	1.1%	917	89.9%	1.7%
12-17 Years	666	99.6%	0.2%	666	98.7%	0.4%	1,481	93.5%	1.0%	2,347	85.0%	1.3%
18-34 Years	1,724	99.4%	0.2%	1,724	98.5%	0.3%	5,131	93.1%	0.5%	9,908	81.6%	0.6%
35-49 Years	3,902	98.8%	0.2%	3,902	97.3%	0.3%	11,408	88.2%	0.4%	21,365	70.7%	0.5%
50-64 Years	5,515	98.2%	0.2%	5,515	95.4%	0.3%	14,933	81.0%	0.5%	24,961	54.4%	0.6%
65+ Years	1,888	96.7%	0.4%	1,888	92.4%	0.6%	4,631	66.6%	1.0%	7,022	33.0%	1.3%
Recipient Ethnicity/Race												
White	6,245	98.7%	0.1%	6,245	96.2%	0.2%	17,985	84.2%	0.4%	33,273	63.2%	0.5%
African American	4,406	98.2%	0.2%	4,406	96.2%	0.3%	11,892	83.1%	0.5%	20,053	59.8%	0.6%
Hispanic/Latino	2,186	98.4%	0.3%	2,186	97.0%	0.4%	5,523	88.9%	0.6%	8,632	72.4%	0.9%
Asian	877	98.8%	0.3%	877	97.3%	0.5%	2,245	89.3%	0.9%	3,714	75.0%	1.3%
Other/Multi-race	218	98.8%	0.7%	218	97.7%	0.9%	505	87.5%	1.9%	819	66.1%	3.0%
Unknown	0	-	-	0	-	-	1	+	+	3	+	+
Recipient Gender												
Female	5,518	98.7%	0.1%	5,518	96.8%	0.2%	15,260	86.2%	0.4%	26,489	65.4%	0.5%
Male	8,414	98.4%	0.1%	8,414	96.1%	0.2%	22,891	84.0%	0.3%	40,005	63.2%	0.4%

Source: OPTN/SRTR Data as of May 1, 2008.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on kidney and kidney-pancreas transplants.

Multi-organ transplants are excluded.

Survival rates are adjusted to the characteristics of the 3 month and 1 year cohort. See Technical Notes for details.

Donors are divided into two mutually exclusive and complete categories. All donors meeting the criteria for Expanded Criteria Donors for Kidney are classified as ECD, regardless of whether kidneys were allocated under ECD system. Non-ECDs include all other donors, including SCDs and DCDs.

Table 5.12a (Continued)
Adjusted Patient Survival, Deceased Donor non-ECD Kidney Transplants
Survival at 3 Months, 1 Year, 5 Years, and 10 Years

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2005 - 2006)			(Tx 2005 - 2006)			(Tx 2001 - 2006)			(Tx 1996 - 2006)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
Total												
All	13,932	98.5%	0.1%	13,932	96.4%	0.2%	38,151	84.9%	0.3%	66,494	64.1%	0.3%
Transplant Center State												
ALABAMA	223	98.3%	0.8%	223	95.4%	1.4%	628	85.2%	1.8%	1,312	65.0%	2.1%
ARKANSAS	155	99.4%	0.6%	155	97.1%	1.3%	345	79.6%	4.0%	560	59.9%	3.6%
ARIZONA	208	99.2%	0.5%	208	97.7%	0.9%	544	90.0%	1.6%	927	74.6%	2.2%
CALIFORNIA	1,715	98.7%	0.3%	1,715	96.9%	0.4%	4,606	86.1%	0.7%	7,807	67.1%	1.0%
COLORADO	198	99.6%	0.4%	198	97.3%	1.1%	531	86.6%	1.9%	876	68.8%	2.6%
CONNECTICUT	111	99.2%	0.8%	111	97.6%	1.4%	319	87.5%	2.6%	558	68.1%	3.1%
DELAWARE	4	+	+	4	+	+	10	+	+	17	+	+
FLORIDA	919	99.0%	0.3%	919	97.0%	0.5%	2,541	85.3%	1.0%	4,440	63.6%	1.3%
GEORGIA	371	99.0%	0.5%	371	96.8%	0.9%	1,046	85.7%	1.4%	1,873	64.8%	1.9%
HAWAII	46	98.2%	1.7%	46	98.2%	1.7%	147	92.8%	2.2%	239	77.8%	4.4%
IOWA	107	99.4%	0.6%	107	98.8%	0.8%	328	83.3%	2.5%	582	62.2%	3.4%
ILLINOIS	492	98.7%	0.5%	492	95.9%	0.9%	1,403	85.7%	1.2%	2,522	64.3%	1.7%
INDIANA	220	98.4%	0.8%	220	95.7%	1.3%	714	89.6%	1.5%	1,169	77.7%	2.0%
KANSAS	109	100.0%	0.0%	109	98.5%	1.1%	314	88.8%	2.6%	539	73.0%	3.3%
KENTUCKY	161	99.0%	0.7%	161	96.6%	1.3%	462	84.6%	2.3%	873	52.9%	3.0%
LOUISIANA	280	98.7%	0.6%	280	96.2%	1.1%	857	81.1%	2.0%	1,387	61.0%	2.4%
MASSACHUSETTS	274	98.1%	0.8%	274	95.8%	1.1%	802	87.4%	1.5%	1,440	65.7%	2.0%
MARYLAND	278	97.5%	0.9%	278	94.4%	1.3%	853	78.1%	1.7%	1,509	51.2%	2.5%
MAINE	56	100.0%	0.0%	56	97.1%	2.0%	157	89.4%	2.8%	255	72.0%	4.8%
MICHIGAN	447	98.5%	0.5%	447	95.7%	0.9%	1,263	85.9%	1.3%	2,133	61.1%	2.0%
MINNESOTA	204	98.8%	0.7%	204	96.8%	1.1%	570	86.7%	1.7%	1,071	65.4%	2.4%
MISSOURI	412	99.4%	0.4%	412	97.9%	0.7%	1,005	89.5%	1.3%	1,831	64.2%	2.0%
MISSISSIPPI	24	100.0%	0.0%	24	95.5%	4.3%	131	81.3%	4.3%	251	62.0%	5.3%
NORTH CAROLINA	437	97.8%	0.7%	437	96.5%	0.8%	1,018	88.9%	1.3%	1,689	64.2%	2.2%
NORTH DAKOTA	28	100.0%	0.0%	28	97.5%	2.4%	103	84.0%	3.5%	161	64.7%	5.8%
NEBRASKA	75	98.9%	1.1%	75	97.8%	1.6%	204	84.5%	3.3%	381	63.6%	4.6%
NEW HAMPSHIRE	31	+	+	31	+	+	78	87.7%	4.9%	129	78.0%	4.8%
NEW JERSEY	259	96.7%	1.0%	259	93.7%	1.4%	747	80.5%	2.0%	1,341	61.5%	2.2%
NEW MEXICO	87	100.0%	0.0%	87	99.0%	1.0%	190	93.6%	2.5%	372	69.3%	3.5%
NEVADA	90	94.1%	2.3%	90	92.1%	2.7%	241	78.5%	3.4%	401	53.7%	4.3%
NEW YORK	868	97.9%	0.5%	868	95.7%	0.7%	2,012	83.3%	1.2%	3,566	65.5%	1.4%

(Continued)

Source: OPTN/SRTR Data as of May 1, 2008.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on kidney and kidney-pancreas transplants.

Multi-organ transplants are excluded.

Survival rates are adjusted to the characteristics of the 3 month and 1 year cohort. See Technical Notes for details.

Donors are divided into two mutually exclusive and complete categories. All donors meeting the criteria for Expanded Criteria Donors for Kidney are classified as ECD, regardless of whether kidneys were allocated under ECD system. Non-ECDs include all other donors, including SCDs and DCDs.

Table 5.12a (Continued)
Adjusted Patient Survival, Deceased Donor non-ECD Kidney Transplants
Survival at 3 Months, 1 Year, 5 Years, and 10 Years

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2005 - 2006)			(Tx 2005 - 2006)			(Tx 2001 - 2006)			(Tx 1996 - 2006)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
Transplant Center State												
OHIO	434	97.6%	0.7%	434	95.3%	0.9%	1,334	80.1%	1.4%	2,653	59.1%	1.6%
OKLAHOMA	137	98.2%	1.0%	137	94.5%	1.8%	431	83.7%	2.1%	760	60.5%	3.2%
OREGON	190	99.2%	0.6%	190	97.9%	0.9%	487	84.6%	2.2%	809	68.5%	3.0%
PENNSYLVANIA	1,011	99.0%	0.3%	1,011	96.8%	0.5%	2,730	83.2%	0.9%	4,651	62.2%	1.3%
PUERTO RICO	118	99.0%	0.9%	118	98.1%	1.3%	306	89.0%	2.3%	412	55.2%	7.8%
RHODE ISLAND	50	95.2%	2.7%	50	92.0%	3.4%	158	84.5%	3.1%	233	59.9%	6.2%
SOUTH CAROLINA	210	99.2%	0.6%	210	95.7%	1.3%	551	82.3%	2.4%	963	55.6%	3.0%
SOUTH DAKOTA	30	+	+	30	+	+	93	85.6%	4.5%	163	71.6%	5.2%
TENNESSEE	396	97.7%	0.7%	396	95.1%	1.0%	1,072	82.6%	1.6%	1,793	56.7%	2.2%
TEXAS	1,185	97.6%	0.4%	1,185	96.0%	0.5%	3,320	85.1%	0.8%	5,738	65.6%	1.1%
UTAH	100	99.1%	0.8%	100	97.4%	1.5%	304	94.1%	1.4%	552	76.4%	2.9%
VIRGINIA	325	99.7%	0.3%	325	97.2%	0.9%	795	84.2%	1.7%	1,432	59.7%	2.2%
VERMONT	33	100.0%	0.0%	33	98.0%	2.0%	58	92.9%	3.1%	106	79.4%	5.7%
WASHINGTON	255	99.7%	0.3%	255	99.0%	0.5%	843	86.4%	1.6%	1,385	63.2%	2.4%
WISCONSIN	323	99.2%	0.5%	323	96.8%	0.9%	913	83.5%	1.7%	1,547	66.0%	2.1%
WEST VIRGINIA	61	97.4%	1.8%	61	92.0%	3.1%	183	76.1%	4.1%	384	55.3%	3.9%
Primary Diagnosis												
Glomerular Diseases	3,306	99.1%	0.2%	3,306	97.6%	0.3%	9,366	88.0%	0.5%	17,065	72.0%	0.6%
Diabetes	3,267	97.7%	0.2%	3,267	94.7%	0.4%	8,904	77.4%	0.6%	15,159	47.3%	0.8%
Hypertensive												
Nephrosclerosis	3,269	98.6%	0.2%	3,269	96.0%	0.3%	8,206	84.2%	0.6%	13,217	61.2%	0.8%
Polycystic Kidneys	1,214	99.4%	0.2%	1,214	98.0%	0.4%	3,433	91.3%	0.6%	6,271	76.9%	0.9%
Tubular and Interstitial Diseases	684	98.5%	0.5%	684	96.0%	0.7%	1,960	86.9%	1.0%	3,692	70.5%	1.2%
Renovascular & Other Vascular Diseases	530	97.9%	0.6%	530	96.9%	0.7%	1,942	84.2%	1.1%	3,569	60.7%	1.4%
Congenital, Rare Familial, & Metabolic Disorders	415	98.0%	0.8%	415	96.6%	1.1%	1,020	88.3%	1.7%	1,765	73.8%	2.1%
Neoplasms	55	98.5%	1.5%	55	97.0%	2.1%	130	82.3%	3.8%	200	55.9%	5.7%
Other	1,185	98.2%	0.4%	1,185	96.4%	0.5%	3,173	86.2%	0.9%	5,531	67.9%	1.1%
Unknown	7	85.9%	12.5%	7	85.9%	12.5%	17	69.1%	13.3%	25	77.2%	9.0%

Source: OPTN/SRTR Data as of May 1, 2008.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on kidney and kidney-pancreas transplants.

Multi-organ transplants are excluded.

Survival rates are adjusted to the characteristics of the 3 month and 1 year cohort. See Technical Notes for details.

Donors are divided into two mutually exclusive and complete categories. All donors meeting the criteria for Expanded Criteria Donors for Kidney are classified as ECD, regardless of whether kidneys were allocated under ECD system. Non-ECDs include all other donors, including SCDs and DCDs.