

Table 5.12c
Adjusted Patient Survival, Deceased Donor Kidney Transplants
Survival at 3 Months, 1 Year, 5 Years, and 10 Years

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2005 - 2006)			(Tx 2005 - 2006)			(Tx 2001 - 2006)			(Tx 1996 - 2006)		
	N	%	Std. Err.									
Total												
All	17,150	98.2%	0.1%	17,150	95.7%	0.2%	46,359	82.5%	0.3%	79,923	60.3%	0.3%
Age at Tx												
<1 Year	3	+	+	3	+	+	4	+	+	5	+	+
1-5 Years	136	99.4%	0.6%	136	96.8%	1.5%	320	94.0%	1.4%	539	87.6%	1.9%
6-11 Years	219	99.1%	0.6%	219	98.6%	0.8%	550	95.8%	1.1%	931	89.3%	1.8%
12-17 Years	667	99.6%	0.3%	667	98.7%	0.4%	1,487	93.6%	1.0%	2,386	84.8%	1.3%
18-34 Years	1,801	99.3%	0.2%	1,801	98.3%	0.3%	5,438	92.7%	0.5%	10,672	81.1%	0.6%
35-49 Years	4,318	98.8%	0.2%	4,318	97.2%	0.3%	12,753	87.4%	0.4%	24,085	69.4%	0.5%
50-64 Years	7,061	97.9%	0.2%	7,061	94.7%	0.3%	18,935	78.7%	0.4%	31,437	51.7%	0.5%
65+ Years	3,066	96.1%	0.3%	3,066	90.7%	0.5%	7,176	63.9%	0.9%	10,443	30.6%	1.0%
Recipient Ethnicity/Race												
White	7,816	98.5%	0.1%	7,816	95.6%	0.2%	21,994	81.8%	0.4%	40,063	59.5%	0.4%
African American	5,423	97.8%	0.2%	5,423	95.4%	0.3%	14,480	80.9%	0.5%	24,185	56.0%	0.6%
Hispanic/Latino	2,528	98.2%	0.3%	2,528	96.1%	0.4%	6,436	86.8%	0.6%	10,077	68.7%	0.9%
Asian	1,108	98.6%	0.3%	1,108	96.6%	0.5%	2,807	85.7%	0.9%	4,573	71.3%	1.3%
Other/Multi-race	275	98.3%	0.7%	275	96.5%	1.0%	641	85.0%	1.9%	1,022	63.1%	2.8%
Unknown	0	-	-	0	-	-	1	+	+	3	+	+
Recipient Gender												
Female	6,690	98.6%	0.1%	6,690	96.3%	0.2%	18,298	84.0%	0.4%	31,594	62.1%	0.5%
Male	10,460	98.0%	0.1%	10,460	95.2%	0.2%	28,061	81.4%	0.3%	48,329	59.2%	0.4%

Source: OPTN/SRTR Data as of May 1, 2008.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on kidney and kidney-pancreas transplants.

Multi-organ transplants are excluded.

Survival rates are adjusted to the characteristics of the 3 month and 1 year cohort. See Technical Notes for details.

Donors are divided into two mutually exclusive and complete categories. All donors meeting the criteria for Expanded Criteria Donors for Kidney are classified as ECD, regardless of whether kidneys were allocated under ECD system. Non-ECDs include all other donors, including SCDs and DCDs.

Table 5.12c (Continued)
Adjusted Patient Survival, Deceased Donor Kidney Transplants
Survival at 3 Months, 1 Year, 5 Years, and 10 Years

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2005 - 2006)			(Tx 2005 - 2006)			(Tx 2001 - 2006)			(Tx 1996 - 2006)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
Total												
All	17,150	98.2%	0.1%	17,150	95.7%	0.2%	46,359	82.5%	0.3%	79,923	60.3%	0.3%
Transplant Center State												
ALABAMA	259	97.5%	0.9%	259	94.9%	1.3%	736	82.7%	1.8%	1,543	59.3%	2.0%
ARKANSAS	181	99.0%	0.7%	181	95.8%	1.4%	390	77.3%	3.9%	622	56.2%	3.5%
ARIZONA	242	98.4%	0.7%	242	96.4%	1.1%	633	87.5%	1.7%	1,058	71.8%	2.2%
CALIFORNIA	2,039	98.6%	0.2%	2,039	96.3%	0.4%	5,584	83.4%	0.7%	9,421	63.0%	0.9%
COLORADO	217	99.2%	0.6%	217	96.7%	1.1%	589	85.6%	1.9%	964	65.3%	2.7%
CONNECTICUT	135	99.3%	0.7%	135	97.3%	1.3%	379	85.3%	2.4%	649	64.4%	3.0%
DELAWARE	4	+	+	4	+	+	10	+	+	17	+	+
FLORIDA	1,118	98.4%	0.3%	1,118	96.2%	0.5%	2,991	83.1%	0.9%	5,167	59.9%	1.2%
GEORGIA	435	98.4%	0.6%	435	95.8%	0.9%	1,229	84.1%	1.4%	2,147	61.4%	1.9%
HAWAII	70	98.9%	1.1%	70	98.9%	1.1%	199	88.0%	3.0%	328	73.9%	3.9%
IOWA	126	99.0%	0.7%	126	97.9%	1.0%	370	82.0%	2.5%	662	60.0%	3.3%
ILLINOIS	622	98.2%	0.5%	622	94.1%	0.9%	1,784	83.2%	1.1%	3,122	59.7%	1.6%
INDIANA	248	98.6%	0.7%	248	95.8%	1.2%	786	87.8%	1.6%	1,272	74.9%	2.1%
KANSAS	114	100.0%	0.0%	114	97.7%	1.3%	327	87.5%	2.8%	557	71.1%	3.5%
KENTUCKY	178	99.1%	0.6%	178	96.8%	1.2%	535	80.3%	2.4%	1,000	50.0%	2.8%
LOUISIANA	333	98.6%	0.6%	333	96.4%	1.0%	978	80.2%	1.9%	1,556	58.0%	2.3%
MASSACHUSETTS	377	98.2%	0.6%	377	96.3%	0.9%	1,028	85.9%	1.4%	1,776	61.3%	2.0%
MARYLAND	373	97.3%	0.8%	373	94.1%	1.1%	1,191	75.3%	1.5%	2,131	47.4%	2.1%
MAINE	59	100.0%	0.0%	59	97.2%	2.0%	177	88.0%	2.7%	289	69.0%	4.8%
MICHIGAN	536	97.9%	0.6%	536	94.7%	0.9%	1,476	83.5%	1.3%	2,459	58.7%	1.9%
MINNESOTA	245	98.7%	0.7%	245	97.0%	1.0%	655	84.7%	1.8%	1,281	62.3%	2.3%
MISSOURI	460	99.0%	0.4%	460	97.1%	0.7%	1,087	88.2%	1.4%	2,003	61.3%	1.9%
MISSISSIPPI	24	100.0%	0.0%	24	95.4%	4.4%	133	80.1%	4.4%	267	57.0%	5.2%
NORTH CAROLINA	534	98.0%	0.6%	534	96.7%	0.7%	1,248	87.4%	1.3%	2,073	61.3%	2.0%
NORTH DAKOTA	39	98.2%	1.8%	39	92.7%	3.5%	145	78.6%	3.5%	224	60.9%	5.1%
NEBRASKA	92	99.1%	0.9%	92	96.3%	1.8%	247	83.5%	3.0%	445	60.2%	4.5%
NEW HAMPSHIRE	41	100.0%	0.0%	41	98.2%	1.8%	98	81.2%	5.8%	154	74.1%	4.9%
NEW JERSEY	379	95.8%	0.9%	379	92.4%	1.3%	1,071	76.9%	1.8%	1,841	57.8%	2.0%
NEW MEXICO	103	99.2%	0.8%	103	98.4%	1.1%	219	92.5%	2.5%	428	67.1%	3.4%
NEVADA	92	93.9%	2.4%	92	91.9%	2.7%	258	75.4%	3.6%	434	49.4%	4.1%
NEW YORK	1,246	97.5%	0.4%	1,246	94.6%	0.6%	2,790	79.6%	1.1%	4,796	60.7%	1.2%

(Continued)

Source: OPTN/SRTR Data as of May 1, 2008.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on kidney and kidney-pancreas transplants.

Multi-organ transplants are excluded.

Survival rates are adjusted to the characteristics of the 3 month and 1 year cohort. See Technical Notes for details.

Donors are divided into two mutually exclusive and complete categories. All donors meeting the criteria for Expanded Criteria Donors for Kidney are classified as ECD, regardless of whether kidneys were allocated under ECD system. Non-ECDs include all other donors, including SCDs and DCDs.

Table 5.12c (Continued)
Adjusted Patient Survival, Deceased Donor Kidney Transplants
Survival at 3 Months, 1 Year, 5 Years, and 10 Years

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2005 - 2006)			(Tx 2005 - 2006)			(Tx 2001 - 2006)			(Tx 1996 - 2006)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
Transplant Center State												
OHIO	575	96.6%	0.7%	575	92.9%	1.0%	1,642	78.2%	1.3%	3,219	55.8%	1.5%
OKLAHOMA	164	98.0%	1.0%	164	93.4%	1.8%	498	81.7%	2.1%	868	58.6%	3.0%
OREGON	216	98.9%	0.6%	216	97.4%	1.0%	610	83.2%	2.0%	988	66.7%	2.9%
PENNSYLVANIA	1,330	98.7%	0.3%	1,330	95.8%	0.5%	3,574	80.0%	0.9%	6,027	57.7%	1.1%
PUERTO RICO	139	99.3%	0.7%	139	97.8%	1.3%	343	87.9%	2.3%	459	48.5%	8.0%
RHODE ISLAND	58	95.8%	2.4%	58	93.0%	3.0%	200	82.5%	3.0%	294	58.3%	5.9%
SOUTH CAROLINA	229	99.2%	0.5%	229	96.2%	1.2%	605	79.4%	2.4%	1,054	53.2%	2.8%
SOUTH DAKOTA	54	100.0%	0.0%	54	97.6%	1.7%	151	82.1%	3.9%	239	66.9%	5.0%
TENNESSEE	457	97.7%	0.7%	457	95.2%	0.9%	1,232	81.4%	1.5%	2,058	53.3%	2.1%
TEXAS	1,395	97.5%	0.4%	1,395	95.4%	0.5%	3,845	83.7%	0.8%	6,564	62.9%	1.1%
UTAH	107	98.4%	1.1%	107	96.7%	1.6%	322	93.1%	1.6%	588	73.2%	3.0%
VIRGINIA	430	99.6%	0.3%	430	97.1%	0.8%	1,032	82.0%	1.6%	1,776	56.1%	2.1%
VERMONT	45	98.5%	1.5%	45	96.9%	2.1%	78	92.7%	2.7%	135	78.8%	5.3%
WASHINGTON	303	99.5%	0.4%	303	97.8%	0.8%	968	84.1%	1.6%	1,647	59.1%	2.3%
WISCONSIN	432	99.2%	0.4%	432	95.8%	0.9%	1,233	79.9%	1.5%	2,036	61.2%	1.9%
WEST VIRGINIA	66	97.5%	1.7%	66	91.0%	3.2%	204	74.5%	4.1%	447	51.9%	3.8%
Primary Diagnosis												
Other	1,411	98.0%	0.4%	1,411	95.6%	0.6%	3,786	83.5%	0.8%	6,581	63.5%	1.1%
Unknown	11	91.4%	8.0%	11	83.1%	10.6%	21	67.5%	13.3%	31	77.4%	8.3%

Source: OPTN/SRTR Data as of May 1, 2008.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on kidney and kidney-pancreas transplants.

Multi-organ transplants are excluded.

Survival rates are adjusted to the characteristics of the 3 month and 1 year cohort. See Technical Notes for details.

Donors are divided into two mutually exclusive and complete categories. All donors meeting the criteria for Expanded Criteria Donors for Kidney are classified as ECD, regardless of whether kidneys were allocated under ECD system. Non-ECDs include all other donors, including SCDs and DCDs.