

Table 5.14d
Unadjusted Patient Survival, Living Donor Kidney Transplants
Survival at 3 Months, 1 Year, 5 Years, and 10 Years

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2005 - 2006)			(Tx 2005 - 2006)			(Tx 2001 - 2006)			(Tx 1996 - 2006)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
Total All	11,604	99.3%	0.1%	11,604	98.2%	0.1%	34,235	90.6%	0.2%	54,408	77.0%	0.3%
Age at Tx												
<1 Year	7	71.4%	17.1%	7	71.4%	17.1%	19	89.5%	7.0%	41	95.1%	3.4%
1-5 Years	173	98.3%	1.0%	173	98.3%	1.0%	577	96.0%	0.9%	960	93.1%	1.2%
6-11 Years	148	100.0%	0.0%	148	100.0%	0.0%	517	97.1%	0.9%	982	94.8%	1.0%
12-17 Years	356	100.0%	0.0%	356	99.4%	0.4%	1,151	96.3%	0.8%	2,034	90.4%	1.0%
18-34 Years	2,264	99.8%	0.1%	2,264	99.2%	0.2%	7,080	95.8%	0.3%	12,422	88.4%	0.5%
35-49 Years	3,418	99.7%	0.1%	3,418	98.9%	0.2%	10,398	92.8%	0.3%	17,138	79.4%	0.6%
50-64 Years	4,009	99.1%	0.1%	4,009	97.6%	0.2%	11,330	87.5%	0.4%	16,660	64.9%	0.8%
65+ Years	1,229	98.3%	0.4%	1,229	95.9%	0.6%	3,163	76.6%	1.1%	4,171	40.1%	2.1%
Recipient Ethnicity/Race												
White	7,715	99.2%	0.1%	7,715	97.9%	0.2%	22,804	90.1%	0.3%	36,675	76.4%	0.4%
African American	1,776	99.5%	0.2%	1,776	98.3%	0.3%	5,296	88.9%	0.6%	8,274	72.0%	0.9%
Hispanic/Latino	1,510	99.7%	0.1%	1,510	99.1%	0.2%	4,380	94.2%	0.5%	6,805	84.7%	0.8%
Asian	459	99.8%	0.2%	459	99.1%	0.4%	1,362	95.0%	0.8%	2,091	85.3%	1.6%
Other/Multi-race	144	100.0%	0.0%	144	98.6%	1.0%	390	88.0%	2.6%	560	68.4%	4.3%
Unknown	0	-	-	0	-	-	3	66.7%	27.2%	3	+	+
Recipient Gender												
Female	4,496	99.5%	0.1%	4,496	98.4%	0.2%	13,732	90.8%	0.3%	22,144	77.6%	0.5%
Male	7,108	99.2%	0.1%	7,108	98.1%	0.2%	20,503	90.4%	0.3%	32,264	76.6%	0.4%
Recipient Blood Type												
O	5,206	99.3%	0.1%	5,206	98.0%	0.2%	15,600	91.0%	0.3%	24,736	77.8%	0.5%
A	4,453	99.3%	0.1%	4,453	98.2%	0.2%	12,897	90.3%	0.4%	20,594	75.9%	0.5%
B	1,520	99.7%	0.1%	1,520	98.8%	0.3%	4,479	90.1%	0.6%	7,089	77.2%	0.9%
AB	425	99.5%	0.3%	425	98.4%	0.6%	1,259	89.8%	1.2%	1,983	79.2%	1.7%
Unknown	0	-	-	0	-	-	0	-	-	6	+	+

Source: OPTN/SRTR Data as of May 1, 2008.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on kidney and kidney-pancreas transplants.

Multi-organ transplants are excluded.

Dialysis needed within first week excludes patients whose graft failed before the end of the week. footnote9

Table 5.14d (Continued)
Unadjusted Patient Survival, Living Donor Kidney Transplants
Survival at 3 Months, 1 Year, 5 Years, and 10 Years

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2005 - 2006)			(Tx 2005 - 2006)			(Tx 2001 - 2006)			(Tx 1996 - 2006)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
Total All	11,604	99.3%	0.1%	11,604	98.2%	0.1%	34,235	90.6%	0.2%	54,408	77.0%	0.3%
Recipient Residency												
U.S. Resident	11,515	99.3%	0.1%	11,515	98.2%	0.1%	33,907	90.5%	0.2%	53,819	76.8%	0.3%
Nonresident Alien	88	98.9%	1.1%	88	97.7%	1.6%	326	96.1%	1.2%	545	94.0%	1.2%
Unknown	1	100.0%	0.0%	1	100.0%	0.0%	2	100.0%	0.0%	44	74.1%	7.2%
Hospitalized at Tx												
Not Hospitalized	11,396	99.4%	0.1%	11,396	98.2%	0.1%	33,547	90.6%	0.2%	53,141	77.1%	0.3%
Hospitalized	161	98.1%	1.1%	161	96.9%	1.4%	600	90.1%	1.5%	1,094	74.4%	2.2%
In Intensive Care	46	97.8%	2.2%	46	97.8%	2.2%	87	85.9%	4.9%	154	71.1%	5.5%
Unknown	1	100.0%	0.0%	1	100.0%	0.0%	1	+	+	19	78.9%	11.4%
Life Support at Tx												
Unknown	11,604	99.3%	0.1%	11,604	98.2%	0.1%	34,235	90.6%	0.2%	54,408	77.0%	0.3%
Primary Diagnosis												
Glomerular Diseases	3,311	99.7%	0.1%	3,311	99.0%	0.2%	10,032	94.5%	0.3%	16,615	86.3%	0.4%
Diabetes	2,497	99.0%	0.2%	2,497	96.8%	0.4%	7,463	83.1%	0.6%	11,711	58.3%	0.9%
Hypertensive												
Nephrosclerosis	1,822	99.0%	0.2%	1,822	97.7%	0.3%	4,701	88.5%	0.7%	6,985	71.2%	1.1%
Polycystic Kidneys	1,304	99.6%	0.2%	1,304	98.9%	0.3%	3,641	94.8%	0.5%	5,269	85.1%	1.0%
Tubular and Interstitial Diseases	694	99.7%	0.2%	694	98.3%	0.5%	2,212	89.2%	0.9%	3,805	79.8%	1.0%
Renovascular & Other Vascular Diseases	296	99.7%	0.3%	296	98.3%	0.7%	1,207	91.2%	1.0%	1,982	69.0%	2.1%
Congenital, Rare Familial, & Metabolic Disorders	429	99.1%	0.5%	429	98.6%	0.6%	1,387	95.7%	0.7%	2,271	89.8%	1.1%
Neoplasms	47	97.9%	2.1%	47	97.9%	2.1%	159	86.2%	3.7%	240	72.6%	5.2%
Other	1,181	99.2%	0.3%	1,181	98.3%	0.4%	3,383	92.4%	0.6%	5,461	81.5%	1.0%
Unknown	23	100.0%	0.0%	23	100.0%	0.0%	50	90.6%	6.5%	69	69.1%	12.2%

Source: OPTN/SRTR Data as of May 1, 2008.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on kidney and kidney-pancreas transplants.

Multi-organ transplants are excluded.

Dialysis needed within first week excludes patients whose graft failed before the end of the week. footnote9

Table 5.14d (Continued)
Unadjusted Patient Survival, Living Donor Kidney Transplants
Survival at 3 Months, 1 Year, 5 Years, and 10 Years

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2005 - 2006)			(Tx 2005 - 2006)			(Tx 2001 - 2006)			(Tx 1996 - 2006)		
	N	%	Std. Err.									
Total All	11,604	99.3%	0.1%	11,604	98.2%	0.1%	34,235	90.6%	0.2%	54,408	77.0%	0.3%
PRA at Transplant												
0-9%	6,697	99.4%	0.1%	6,697	98.3%	0.2%	17,843	90.5%	0.3%	25,723	75.6%	0.5%
10-79%	738	99.2%	0.3%	738	98.6%	0.4%	1,676	87.8%	1.3%	2,291	69.4%	2.3%
80%+	123	99.2%	0.8%	123	97.6%	1.4%	255	88.1%	3.2%	311	60.4%	9.8%
Unknown	4,046	99.3%	0.1%	4,046	97.9%	0.2%	14,461	90.9%	0.3%	26,083	78.4%	0.4%
Yearly Center Volume												
0-12	135	99.3%	0.7%	135	99.3%	0.7%	631	94.7%	1.2%	1,657	80.8%	1.4%
13-28	539	99.6%	0.3%	539	99.1%	0.4%	2,059	91.0%	0.8%	3,985	80.1%	1.1%
29-47	1,075	99.0%	0.3%	1,075	98.4%	0.4%	2,974	89.2%	0.8%	5,610	73.9%	1.1%
48-81	2,004	99.3%	0.2%	2,004	98.2%	0.3%	6,788	90.5%	0.5%	12,397	76.9%	0.7%
82+	7,851	99.4%	0.1%	7,851	98.1%	0.2%	21,783	90.6%	0.3%	30,759	76.9%	0.4%
Dialysis Needed Within First Week After Tx												
No	11,101	99.5%	0.1%	11,101	98.4%	0.1%	32,716	91.2%	0.2%	51,730	77.8%	0.3%
Yes	501	96.6%	0.8%	501	94.0%	1.1%	1,516	77.4%	1.4%	2,544	62.0%	1.6%
Unknown	2	100.0%	0.0%	2	100.0%	0.0%	3	100.0%	0.0%	134	71.6%	4.3%
Donor Age												
6-11 Years	0	-	-	0	-	-	0	-	-	1	100.0%	0.0%
12-17 Years	1	100.0%	0.0%	1	100.0%	0.0%	3	100.0%	0.0%	13	100.0%	0.0%
18-34 Years	3,601	99.6%	0.1%	3,601	98.6%	0.2%	11,054	92.3%	0.3%	18,077	79.3%	0.5%
35-49 Years	5,432	99.3%	0.1%	5,432	98.1%	0.2%	16,100	90.3%	0.3%	25,533	76.9%	0.5%
50-64 Years	2,453	99.3%	0.2%	2,453	97.9%	0.3%	6,756	89.0%	0.5%	10,252	74.2%	0.8%
65+ Years	116	97.4%	1.5%	116	94.8%	2.1%	321	76.3%	3.3%	523	54.5%	3.4%
Unknown	1	0.0%	0.0%	1	0.0%	0.0%	1	0.0%	0.0%	9	+	+
Relation of Donor to Recipient												
Parent	1,346	99.7%	0.1%	1,346	99.2%	0.2%	4,327	95.3%	0.4%	7,868	88.8%	0.5%
Offspring	2,143	98.7%	0.2%	2,143	97.0%	0.4%	6,304	84.9%	0.6%	9,672	59.5%	1.0%
Sibling	3,039	99.6%	0.1%	3,039	98.6%	0.2%	9,806	93.3%	0.3%	17,380	81.5%	0.5%
Other Relative	869	99.7%	0.2%	869	98.2%	0.5%	2,552	90.0%	0.8%	3,877	78.3%	1.3%
Spouse	1,419	99.1%	0.3%	1,419	98.1%	0.4%	4,037	88.8%	0.7%	6,343	71.3%	1.1%
Other Unrelated	2,642	99.4%	0.1%	2,642	98.2%	0.3%	6,824	90.1%	0.5%	8,694	73.6%	1.3%
Unknown	146	99.3%	0.7%	146	98.6%	1.0%	385	84.4%	2.9%	574	76.8%	2.8%

Source: OPTN/SRTR Data as of May 1, 2008.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on kidney and kidney-pancreas transplants.

Multi-organ transplants are excluded.

Dialysis needed within first week excludes patients whose graft failed before the end of the week. footnote9

Table 5.14d (Continued)
Unadjusted Patient Survival, Living Donor Kidney Transplants
Survival at 3 Months, 1 Year, 5 Years, and 10 Years

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2005 - 2006)			(Tx 2005 - 2006)			(Tx 2001 - 2006)			(Tx 1996 - 2006)		
	N	%	Std. Err.									
Total												
All	11,604	99.3%	0.1%	11,604	98.2%	0.1%	34,235	90.6%	0.2%	54,408	77.0%	0.3%
A Locus Mismatch												
0	2,642	99.4%	0.2%	2,642	98.1%	0.3%	8,326	92.1%	0.4%	14,183	80.3%	0.6%
1	6,325	99.4%	0.1%	6,325	98.3%	0.2%	18,515	90.0%	0.3%	29,344	76.0%	0.5%
2	2,551	99.3%	0.2%	2,551	98.2%	0.3%	7,133	90.3%	0.5%	10,119	74.4%	1.0%
Unknown	86	97.7%	1.6%	86	96.5%	2.0%	261	89.7%	2.4%	762	76.3%	2.2%
B Locus Mismatch												
0	1,820	99.7%	0.1%	1,820	98.6%	0.3%	5,852	92.8%	0.5%	10,220	81.8%	0.6%
1	6,101	99.3%	0.1%	6,101	98.1%	0.2%	18,077	90.2%	0.3%	29,053	76.1%	0.4%
2	3,597	99.3%	0.1%	3,597	98.2%	0.2%	10,046	89.9%	0.4%	14,377	74.8%	0.8%
Unknown	86	97.7%	1.6%	86	96.5%	2.0%	260	89.7%	2.4%	758	76.1%	2.2%
DR Locus Mismatch												
0	2,528	99.6%	0.1%	2,528	98.5%	0.2%	7,783	92.2%	0.4%	13,279	80.5%	0.6%
1	6,237	99.2%	0.1%	6,237	98.0%	0.2%	18,529	90.3%	0.3%	29,536	76.0%	0.5%
2	2,753	99.4%	0.1%	2,753	98.4%	0.2%	7,653	89.6%	0.5%	10,782	74.7%	0.9%
Unknown	86	97.7%	1.6%	86	96.5%	2.0%	270	90.2%	2.3%	811	75.8%	2.1%
Total Mismatch												
0	965	99.8%	0.1%	965	98.7%	0.4%	3,131	94.3%	0.6%	5,693	84.7%	0.8%
1	674	99.6%	0.3%	674	98.1%	0.5%	2,126	90.9%	0.8%	3,585	78.7%	1.2%
2	2,080	99.2%	0.2%	2,080	98.2%	0.3%	6,377	90.7%	0.5%	10,586	76.3%	0.7%
3	3,382	99.3%	0.1%	3,382	98.0%	0.2%	10,084	89.9%	0.4%	16,183	75.5%	0.6%
4	1,584	99.6%	0.2%	1,584	98.6%	0.3%	4,350	91.0%	0.6%	6,441	77.6%	1.0%
5	1,846	99.1%	0.2%	1,846	98.1%	0.3%	5,140	89.0%	0.6%	7,313	74.5%	1.1%
6	986	99.4%	0.2%	986	98.3%	0.4%	2,755	90.1%	0.8%	3,789	72.7%	1.7%
Unknown	87	97.7%	1.6%	87	96.6%	2.0%	272	90.3%	2.3%	818	76.1%	2.1%

Source: OPTN/SRTR Data as of May 1, 2008.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on kidney and kidney-pancreas transplants.

Multi-organ transplants are excluded.

Dialysis needed within first week excludes patients whose graft failed before the end of the week. footnote9

Table 5.14d (Continued)
Unadjusted Patient Survival, Living Donor Kidney Transplants
Survival at 3 Months, 1 Year, 5 Years, and 10 Years

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2005 - 2006)			(Tx 2005 - 2006)			(Tx 2001 - 2006)			(Tx 1996 - 2006)		
	N	%	Std. Err.									
Total All	11,604	99.3%	0.1%	11,604	98.2%	0.1%	34,235	90.6%	0.2%	54,408	77.0%	0.3%
Transplant Center State												
ALABAMA	313	99.0%	0.6%	313	98.7%	0.6%	901	89.8%	1.5%	1,398	75.1%	2.1%
ARKANSAS	63	100.0%	0.0%	63	98.4%	1.6%	206	92.4%	2.1%	398	64.8%	4.3%
ARIZONA	283	99.3%	0.5%	283	98.6%	0.7%	778	90.3%	1.5%	1,076	78.5%	2.7%
CALIFORNIA	1,165	99.8%	0.1%	1,165	98.7%	0.3%	3,698	92.7%	0.6%	6,023	81.8%	0.9%
COLORADO	203	99.5%	0.5%	203	98.0%	1.0%	486	89.8%	1.9%	774	75.6%	3.1%
CONNECTICUT	88	100.0%	0.0%	88	97.7%	1.6%	318	94.2%	1.6%	619	77.1%	2.7%
DELAWARE	0	-	-	0	-	-	12	100.0%	0.0%	16	100.0%	0.0%
FLORIDA	405	99.8%	0.2%	405	98.5%	0.6%	1,119	90.5%	1.3%	1,751	75.7%	1.9%
GEORGIA	203	99.0%	0.7%	203	97.0%	1.2%	640	92.9%	1.4%	987	78.3%	2.5%
HAWAII	45	100.0%	0.0%	45	100.0%	0.0%	106	90.3%	3.9%	144	80.0%	5.3%
IOWA	74	100.0%	0.0%	74	98.6%	1.3%	271	87.8%	2.8%	477	79.5%	2.8%
ILLINOIS	647	99.4%	0.3%	647	98.0%	0.6%	1,758	92.4%	0.9%	2,602	76.7%	1.7%
INDIANA	159	99.4%	0.6%	159	99.4%	0.6%	413	96.1%	1.3%	635	81.7%	2.7%
KANSAS	40	100.0%	0.0%	40	100.0%	0.0%	130	91.5%	3.2%	220	80.0%	4.3%
KENTUCKY	68	98.5%	1.5%	68	98.5%	1.5%	203	93.8%	2.0%	342	81.9%	3.7%
LOUISIANA	123	100.0%	0.0%	123	99.2%	0.8%	417	89.9%	2.1%	668	75.2%	2.8%
MASSACHUSETTS	352	99.1%	0.5%	352	99.1%	0.5%	1,031	92.7%	1.1%	1,767	81.6%	1.4%
MARYLAND	326	99.4%	0.4%	326	97.2%	0.9%	980	87.1%	1.5%	1,794	71.7%	1.8%
MAINE	41	100.0%	0.0%	41	100.0%	0.0%	147	88.1%	3.2%	226	83.7%	3.5%
MICHIGAN	478	99.8%	0.2%	478	98.1%	0.6%	1,411	87.1%	1.2%	2,391	72.5%	1.6%
MINNESOTA	644	99.2%	0.3%	644	97.4%	0.6%	1,912	89.0%	0.9%	2,911	75.0%	1.5%
MISSOURI	236	99.6%	0.4%	236	98.7%	0.7%	654	92.7%	1.4%	1,151	78.1%	2.1%
MISSISSIPPI	0	-	-	0	-	-	7	100.0%	0.0%	26	79.0%	8.6%
NORTH CAROLINA	251	99.6%	0.4%	251	98.0%	0.9%	845	89.4%	1.4%	1,400	75.3%	2.1%
NORTH DAKOTA	50	100.0%	0.0%	50	98.0%	2.0%	160	89.9%	3.0%	233	74.1%	5.7%
NEBRASKA	108	99.1%	0.9%	108	99.1%	0.9%	258	92.6%	2.4%	380	80.5%	4.7%
NEW HAMPSHIRE	31	100.0%	0.0%	31	100.0%	0.0%	85	97.4%	2.5%	135	88.7%	4.3%
NEW JERSEY	342	99.1%	0.5%	342	98.5%	0.6%	995	92.6%	1.1%	1,407	75.2%	2.8%
NEW MEXICO	33	100.0%	0.0%	33	100.0%	0.0%	132	90.3%	3.3%	215	83.2%	4.9%
NEVADA	29	100.0%	0.0%	29	100.0%	0.0%	95	86.0%	4.8%	163	62.5%	8.2%
NEW YORK	929	99.4%	0.3%	929	98.4%	0.4%	2,588	92.8%	0.7%	3,978	79.4%	1.2%
OHIO	707	98.6%	0.4%	707	96.6%	0.7%	1,964	86.4%	1.1%	2,826	71.1%	1.7%
OKLAHOMA	41	97.6%	2.4%	41	95.1%	3.4%	174	88.5%	2.8%	288	74.0%	4.4%
OREGON	162	100.0%	0.0%	162	99.4%	0.6%	555	93.3%	1.4%	813	82.0%	2.6%
PENNSYLVANIA	581	99.3%	0.3%	581	98.3%	0.5%	1,752	88.2%	1.1%	2,634	77.1%	1.5%
PUERTO RICO	32	100.0%	0.0%	32	100.0%	0.0%	139	93.4%	2.6%	263	71.3%	5.1%
RHODE ISLAND	54	96.3%	2.6%	54	96.3%	2.6%	183	87.8%	3.0%	269	68.0%	8.7%
SOUTH CAROLINA	57	98.2%	1.7%	57	98.2%	1.7%	144	90.4%	2.9%	316	70.5%	4.1%
SOUTH DAKOTA	39	97.4%	2.5%	39	92.3%	4.3%	94	86.3%	4.7%	116	87.6%	4.1%
TENNESSEE	280	99.3%	0.5%	280	97.5%	0.9%	801	89.7%	1.5%	1,277	75.1%	2.1%
TEXAS	647	99.2%	0.3%	647	98.5%	0.5%	1,869	90.6%	0.9%	3,041	77.5%	1.4%

(Continued)

Source: OPTN/SRTR Data as of May 1, 2008.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.
Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on kidney and kidney-pancreas transplants.

Multi-organ transplants are excluded.

Dialysis needed within first week excludes patients whose graft failed before the end of the week. footnote9

Table 5.14d (Continued)
Unadjusted Patient Survival, Living Donor Kidney Transplants
Survival at 3 Months, 1 Year, 5 Years, and 10 Years

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2005 - 2006)			(Tx 2005 - 2006)			(Tx 2001 - 2006)			(Tx 1996 - 2006)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
Transplant Center State												
UTAH	148	100.0%	0.0%	148	99.3%	0.7%	439	94.0%	1.5%	740	81.6%	2.4%
VIRGINIA	374	98.4%	0.6%	374	96.8%	0.9%	1,042	86.4%	1.5%	1,562	74.8%	2.1%
VERMONT	23	95.7%	4.3%	23	91.3%	5.9%	46	95.7%	3.0%	83	85.9%	6.4%
WASHINGTON	218	100.0%	0.0%	218	99.5%	0.5%	741	90.1%	1.4%	1,247	76.7%	2.1%
WISCONSIN	309	99.4%	0.5%	309	98.1%	0.8%	904	91.3%	1.3%	1,501	79.2%	1.7%
WEST VIRGINIA	30	100.0%	0.0%	30	100.0%	0.0%	101	78.0%	6.3%	182	65.6%	6.3%

Source: OPTN/SRTR Data as of May 1, 2008.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on kidney and kidney-pancreas transplants.

Multi-organ transplants are excluded.

Dialysis needed within first week excludes patients whose graft failed before the end of the week. footnote9