

**Table 6.10**  
**Unadjusted Graft Survival, Pancreas Transplant Alone (PTA) Transplants**  
**Survival at 3 Months, 1 Year, 5 Years, and 10 Years**

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2005 - 2006)			(Tx 2005 - 2006)			(Tx 2001 - 2006)			(Tx 1996 - 2006)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
<b>Total</b>												
All	221	87.8%	2.2%	221	81.2%	2.6%	682	51.3%	2.4%	1,047	26.3%	4.2%
<b>Age at Tx</b>												
6-11 Years	0	-	-	0	-	-	0	-	-	1	0.0%	0.0%
12-17 Years	0	-	-	0	-	-	2	0.0%	0.0%	4	0.0%	0.0%
18-34 Years	60	91.7%	3.6%	60	81.1%	5.2%	181	32.9%	4.6%	302	22.2%	3.7%
35-49 Years	113	85.8%	3.3%	113	83.2%	3.5%	380	59.5%	3.1%	582	31.7%	5.9%
50-64 Years	47	87.1%	4.9%	47	75.9%	6.3%	115	53.2%	5.9%	153	+	+
65+ Years	1	100.0%	0.0%	1	100.0%	0.0%	4	50.0%	25.0%	5	0.0%	0.0%
<b>Recipient Ethnicity/Race</b>												
White	218	87.6%	2.2%	218	80.9%	2.7%	658	51.3%	2.5%	1,008	26.3%	4.2%
African American	3	100.0%	0.0%	3	100.0%	0.0%	9	66.7%	15.7%	16	+	+
Hispanic/Latino	0	-	-	0	-	-	12	58.3%	14.2%	18	+	+
Asian	0	-	-	0	-	-	0	-	-	1	+	+
Other/Multi-race	0	-	-	0	-	-	3	0.0%	0.0%	4	0.0%	0.0%
<b>Recipient Gender</b>												
Female	137	83.9%	3.1%	137	74.7%	3.8%	418	48.1%	3.0%	632	27.1%	4.0%
Male	84	94.0%	2.6%	84	91.6%	3.0%	264	56.4%	4.0%	415	26.2%	7.5%
<b>Recipient Blood Type</b>												
O	94	89.4%	3.2%	94	84.8%	3.8%	302	51.4%	3.4%	448	18.1%	6.5%
A	99	83.7%	3.7%	99	76.5%	4.3%	292	49.1%	3.8%	446	31.6%	4.0%
B	20	95.0%	4.9%	20	80.0%	8.9%	62	58.8%	7.2%	107	+	+
AB	8	100.0%	0.0%	8	100.0%	0.0%	26	60.3%	13.0%	46	45.7%	10.0%

Source: OPTN/SRTR Data as of May 1, 2008.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Graft survival follows individual transplants until graft failure. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on pancreas and kidney-pancreas transplants.

Multi-organ transplants are excluded.

**Table 6.10 (Continued)**  
**Unadjusted Graft Survival, Pancreas Transplant Alone (PTA) Transplants**  
**Survival at 3 Months, 1 Year, 5 Years, and 10 Years**

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2005 - 2006)			(Tx 2005 - 2006)			(Tx 2001 - 2006)			(Tx 1996 - 2006)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
<b>Total</b>												
All	221	87.8%	2.2%	221	81.2%	2.6%	682	51.3%	2.4%	1,047	26.3%	4.2%
<b>Recipient Residency</b>												
U.S. Resident	221	87.8%	2.2%	221	81.2%	2.6%	680	51.4%	2.4%	1,041	26.6%	4.3%
Nonresident Alien	0	-	-	0	-	-	2	0.0%	0.0%	2	0.0%	0.0%
Unknown	0	-	-	0	-	-	0	-	-	4	0.0%	0.0%
<b>Hospitalized at Tx</b>												
Not Hospitalized	219	88.1%	2.2%	219	81.5%	2.6%	673	51.8%	2.4%	1,030	26.8%	4.3%
Hospitalized	2	50.0%	35.4%	2	50.0%	35.4%	9	22.2%	17.8%	15	+	+
In Intensive Care	0	-	-	0	-	-	0	-	-	2	0.0%	0.0%
<b>Cold Ischemic Time</b>												
0-11 Hours	73	93.1%	3.0%	73	88.9%	3.7%	153	46.8%	6.3%	221	0.0%	0.0%
12-21 Hours	96	87.5%	3.4%	96	81.0%	4.0%	322	50.4%	3.5%	515	33.9%	3.5%
22-31 Hours	20	75.0%	9.7%	20	70.0%	10.2%	73	49.9%	6.7%	124	35.7%	6.9%
32-41 Hours	0	-	-	0	-	-	4	+	+	8	0.0%	0.0%
42+ Hours	0	-	-	0	-	-	1	0.0%	0.0%	3	0.0%	0.0%
Unknown	32	84.4%	6.4%	32	71.6%	8.0%	129	57.9%	5.1%	176	22.3%	16.1%
<b>Yearly Center Volume</b>												
0-4	7	85.7%	13.2%	7	85.7%	13.2%	20	65.5%	13.6%	59	28.6%	11.1%
5-7	8	50.0%	17.7%	8	50.0%	17.7%	29	54.8%	11.2%	74	28.5%	9.1%
8-11	26	88.5%	6.3%	26	88.5%	6.3%	72	50.4%	9.8%	73	+	+
12-19	24	79.2%	8.3%	24	79.2%	8.3%	102	61.0%	6.9%	111	35.9%	10.0%
20+	156	91.0%	2.3%	156	81.9%	3.1%	459	48.3%	2.8%	730	23.5%	5.3%
<b>Donor Age</b>												
<1 Year	0	-	-	0	-	-	1	0.0%	0.0%	1	0.0%	0.0%
6-11 Years	6	83.3%	15.2%	6	83.3%	15.2%	18	38.5%	14.5%	31	+	+
12-17 Years	40	90.0%	4.7%	40	87.5%	5.2%	132	58.4%	5.9%	217	28.8%	7.7%
18-34 Years	135	89.6%	2.6%	135	81.9%	3.3%	376	49.5%	3.3%	551	25.3%	5.3%
35-49 Years	39	79.5%	6.5%	39	71.6%	7.3%	144	50.1%	4.9%	222	18.5%	13.2%
50-64 Years	1	100.0%	0.0%	1	100.0%	0.0%	11	60.6%	15.7%	25	+	+

Source: OPTN/SRTR Data as of May 1, 2008.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Graft survival follows individual transplants until graft failure. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on pancreas and kidney-pancreas transplants.

Multi-organ transplants are excluded.

**Table 6.10 (Continued)**  
**Unadjusted Graft Survival, Pancreas Transplant Alone (PTA) Transplants**  
**Survival at 3 Months, 1 Year, 5 Years, and 10 Years**

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2005 - 2006)			(Tx 2005 - 2006)			(Tx 2001 - 2006)			(Tx 1996 - 2006)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
<b>Total</b>												
All	221	87.8%	2.2%	221	81.2%	2.6%	682	51.3%	2.4%	1,047	26.3%	4.2%
A Locus Mismatch												
0	48	79.2%	5.9%	48	70.4%	6.7%	147	51.2%	4.7%	227	13.5%	11.2%
1	99	86.9%	3.4%	99	79.7%	4.1%	320	47.7%	3.5%	506	26.2%	5.0%
2	74	94.5%	2.7%	74	90.4%	3.5%	215	57.0%	4.6%	314	31.9%	7.0%
B Locus Mismatch												
0	20	90.0%	6.7%	20	85.0%	8.0%	87	52.9%	6.3%	133	29.1%	9.7%
1	80	83.6%	4.2%	80	79.8%	4.5%	262	46.9%	3.8%	433	22.7%	7.0%
2	121	90.1%	2.7%	121	81.5%	3.6%	333	54.4%	3.6%	481	28.6%	6.1%
DR Locus Mismatch												
0	27	80.9%	7.7%	27	73.0%	8.7%	89	58.8%	5.9%	142	19.8%	10.4%
1	107	88.8%	3.1%	107	81.0%	3.8%	328	49.3%	3.4%	512	30.3%	5.2%
2	87	88.5%	3.4%	87	83.8%	4.0%	265	50.9%	4.1%	392	27.4%	5.5%
Unknown	0	-	-	0	-	-	0	-	-	1	0.0%	0.0%
Total Mismatch												
0	4	100.0%	0.0%	4	75.0%	21.7%	20	68.7%	10.7%	27	29.3%	22.0%
1	11	81.8%	11.6%	11	81.8%	11.6%	36	59.1%	9.2%	59	+	+
2	20	85.0%	8.0%	20	75.0%	9.7%	82	49.7%	6.3%	148	19.4%	10.1%
3	52	80.5%	5.5%	52	74.3%	6.2%	165	41.2%	4.7%	246	29.0%	4.8%
4	54	85.2%	4.8%	54	81.3%	5.3%	134	58.1%	5.3%	211	31.9%	6.5%
5	53	92.5%	3.6%	53	82.9%	5.2%	165	42.5%	6.0%	246	26.9%	6.4%
6	27	100.0%	0.0%	27	96.3%	3.6%	80	70.1%	6.1%	109	+	+
Unknown	0	-	-	0	-	-	0	-	-	1	0.0%	0.0%

Source: OPTN/SRTR Data as of May 1, 2008.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Graft survival follows individual transplants until graft failure. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on pancreas and kidney-pancreas transplants.

Multi-organ transplants are excluded.

**Table 6.10 (Continued)**  
**Unadjusted Graft Survival, Pancreas Transplant Alone (PTA) Transplants**  
**Survival at 3 Months, 1 Year, 5 Years, and 10 Years**

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2005 - 2006)			(Tx 2005 - 2006)			(Tx 2001 - 2006)			(Tx 1996 - 2006)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
<b>Total</b>												
All	221	87.8%	2.2%	221	81.2%	2.6%	682	51.3%	2.4%	1,047	26.3%	4.2%
<b>Transplant Center State</b>												
ARIZONA	1	100.0%	0.0%	1	100.0%	0.0%	3	+	+	3	+	+
CALIFORNIA	10	90.0%	9.5%	10	68.6%	15.1%	35	54.1%	10.7%	39	+	+
COLORADO	0	-	-	0	-	-	0	-	-	5	+	+
CONNECTICUT	1	0.0%	0.0%	1	0.0%	0.0%	4	50.0%	25.0%	12	35.0%	15.4%
FLORIDA	9	77.8%	13.9%	9	77.8%	13.9%	26	45.3%	11.1%	29	+	+
IOWA	0	-	-	0	-	-	5	75.0%	21.7%	9	+	+
ILLINOIS	25	92.0%	5.4%	25	84.0%	7.3%	50	71.3%	8.6%	59	+	+
INDIANA	16	93.8%	6.1%	16	87.1%	8.6%	22	+	+	24	+	+
KANSAS	1	100.0%	0.0%	1	100.0%	0.0%	1	0.0%	0.0%	1	0.0%	0.0%
KENTUCKY	0	-	-	0	-	-	0	-	-	1	0.0%	0.0%
LOUISIANA	6	60.0%	21.9%	6	60.0%	21.9%	13	+	+	18	+	+
MASSACHUSETTS	14	85.7%	9.4%	14	85.7%	9.4%	27	+	+	27	+	+
MARYLAND	14	78.6%	11.0%	14	57.1%	13.2%	57	58.9%	7.8%	137	19.1%	13.9%
MICHIGAN	4	100.0%	0.0%	4	100.0%	0.0%	8	0.0%	0.0%	11	19.1%	15.8%
MINNESOTA	49	87.8%	4.7%	49	81.6%	5.5%	242	42.2%	3.5%	370	27.7%	6.8%
MISSOURI	0	-	-	0	-	-	1	+	+	1	+	+
NORTH CAROLINA	0	-	-	0	-	-	4	100.0%	0.0%	5	+	+
NORTH DAKOTA	1	0.0%	0.0%	1	0.0%	0.0%	2	0.0%	0.0%	2	0.0%	0.0%
NEBRASKA	2	100.0%	0.0%	2	100.0%	0.0%	6	100.0%	0.0%	15	55.2%	13.8%
NEW HAMPSHIRE	1	0.0%	0.0%	1	0.0%	0.0%	1	0.0%	0.0%	1	0.0%	0.0%
NEW JERSEY	4	100.0%	0.0%	4	100.0%	0.0%	14	+	+	15	+	+
NEW YORK	2	100.0%	0.0%	2	100.0%	0.0%	7	+	+	19	+	+
OHIO	18	88.9%	7.4%	18	88.9%	7.4%	33	46.5%	19.8%	39	+	+
PENNSYLVANIA	16	100.0%	0.0%	16	81.3%	9.8%	46	48.4%	10.1%	64	+	+
SOUTH CAROLINA	2	100.0%	0.0%	2	100.0%	0.0%	6	0.0%	0.0%	6	0.0%	0.0%
TENNESSEE	4	75.0%	21.7%	4	75.0%	21.7%	12	62.5%	15.1%	41	10.4%	8.5%
TEXAS	2	100.0%	0.0%	2	100.0%	0.0%	7	41.7%	30.4%	15	+	+
UTAH	0	-	-	0	-	-	2	50.0%	35.4%	4	+	+
VIRGINIA	5	60.0%	21.9%	5	60.0%	21.9%	6	+	+	9	+	+
VERMONT	2	100.0%	0.0%	2	+	+	3	+	+	3	+	+
WASHINGTON	2	100.0%	0.0%	2	100.0%	0.0%	10	75.0%	15.3%	20	+	+
WISCONSIN	10	100.0%	0.0%	10	100.0%	0.0%	28	36.4%	26.1%	41	46.1%	11.6%

Source: OPTN/SRTR Data as of May 1, 2008.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Graft survival follows individual transplants until graft failure. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on pancreas and kidney-pancreas transplants.

Multi-organ transplants are excluded.