

**Table 9.8a**  
**Adjusted Graft Survival, Deceased Donor Liver Transplants**  
**Survival at 3 Months, 1 Year, 5 Years, and 10 Years**

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2005 - 2006)			(Tx 2005 - 2006)			(Tx 2001 - 2006)			(Tx 1996 - 2006)		
	N	%	Std. Err.									
<b>Total</b>												
All	11,503	90.1%	0.3%	11,503	82.5%	0.4%	31,137	67.6%	0.3%	51,910	52.9%	0.4%
<b>Age at Tx</b>												
<1 Year	230	85.0%	2.5%	230	80.1%	2.9%	686	75.8%	1.8%	1,281	67.5%	1.5%
1-5 Years	295	89.9%	1.8%	295	86.1%	2.1%	860	75.2%	1.7%	1,563	69.4%	1.4%
6-11 Years	154	89.4%	2.5%	154	86.1%	2.8%	442	74.9%	2.5%	840	71.9%	1.9%
12-17 Years	185	92.7%	2.0%	185	88.9%	2.4%	613	75.5%	2.2%	1,078	58.6%	2.5%
18-34 Years	645	89.0%	1.2%	645	84.4%	1.4%	1,786	67.5%	1.4%	3,181	54.7%	1.3%
35-49 Years	2,654	91.1%	0.6%	2,654	84.2%	0.7%	8,382	69.0%	0.6%	16,067	54.2%	0.6%
50-64 Years	6,230	89.9%	0.4%	6,230	81.6%	0.5%	15,676	66.6%	0.5%	23,728	51.7%	0.6%
65+ Years	1,110	88.9%	0.9%	1,110	77.7%	1.2%	2,692	60.7%	1.2%	4,172	40.1%	1.4%
<b>Recipient Ethnicity/Race</b>												
White	8,232	90.4%	0.3%	8,232	82.6%	0.4%	22,526	68.1%	0.4%	38,213	53.2%	0.4%
African American	1,143	87.5%	1.0%	1,143	79.1%	1.2%	2,982	60.0%	1.2%	4,815	44.5%	1.2%
Hispanic/Latino	1,515	90.6%	0.8%	1,515	83.9%	1.0%	3,978	69.1%	0.9%	6,306	55.0%	1.0%
Asian	511	90.2%	1.3%	511	85.4%	1.5%	1,408	72.0%	1.5%	2,182	62.8%	1.5%
Other/Multi-race	102	81.9%	3.8%	102	72.9%	4.4%	243	59.3%	4.2%	393	51.9%	3.6%
Unknown	0	-	-	0	-	-	0	-	-	1	+	+
<b>Recipient Gender</b>												
Female	3,849	88.5%	0.5%	3,849	81.4%	0.6%	10,734	67.8%	0.6%	19,023	54.0%	0.5%
Male	7,654	90.9%	0.3%	7,654	83.0%	0.4%	20,403	67.4%	0.4%	32,887	52.2%	0.5%

Source: OPTN/SRTR Data as of May 1, 2008.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Graft survival follows individual transplants until graft failure. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on liver transplants.

Multi-organ transplants are excluded.

Survival rates are adjusted to the characteristics of the 3 month and 1 year cohort. See Technical Notes for details.

**Table 9.8a (Continued)**  
**Adjusted Graft Survival, Deceased Donor Liver Transplants**  
**Survival at 3 Months, 1 Year, 5 Years, and 10 Years**

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2005 - 2006)			(Tx 2005 - 2006)			(Tx 2001 - 2006)			(Tx 1996 - 2006)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
<b>Total</b>												
All	11,503	90.1%	0.3%	11,503	82.5%	0.4%	31,137	67.6%	0.3%	51,910	52.9%	0.4%
<b>Transplant Center State</b>												
ALABAMA	173	94.2%	1.8%	173	88.9%	2.4%	462	77.1%	2.6%	924	61.9%	2.4%
ARKANSAS	40	95.0%	3.4%	40	95.0%	3.4%	40	95.0%	3.4%	40	94.9%	3.4%
ARIZONA	168	94.2%	1.8%	168	89.0%	2.4%	393	72.7%	3.1%	555	67.3%	2.9%
CALIFORNIA	1,348	90.1%	0.8%	1,348	83.5%	1.0%	3,727	68.6%	0.9%	6,572	55.9%	0.9%
COLORADO	162	90.8%	2.3%	162	87.7%	2.6%	444	77.4%	2.5%	792	64.0%	2.7%
CONNECTICUT	51	94.2%	3.2%	51	88.4%	4.4%	178	69.7%	3.8%	305	54.9%	4.3%
DELAWARE	13	100.0%	0.0%	13	90.7%	8.6%	42	83.6%	8.3%	44	64.7%	14.9%
FLORIDA	1,047	91.9%	0.8%	1,047	83.5%	1.1%	3,101	68.0%	1.0%	4,894	53.3%	1.2%
GEORGIA	258	89.4%	1.9%	258	75.6%	2.7%	616	58.7%	2.7%	1,009	46.5%	2.6%
HAWAII	22	86.6%	7.0%	22	77.6%	8.6%	69	68.1%	6.9%	109	66.2%	5.7%
IOWA	49	97.9%	2.0%	49	87.7%	4.7%	176	77.0%	3.7%	379	52.8%	3.9%
ILLINOIS	495	85.0%	1.6%	495	74.4%	2.0%	1,327	60.0%	1.8%	2,322	45.3%	1.6%
INDIANA	280	93.6%	1.5%	280	88.2%	1.9%	796	69.2%	2.1%	1,054	51.2%	3.1%
KANSAS	103	93.3%	2.4%	103	87.6%	3.2%	220	70.6%	3.8%	397	54.1%	3.7%
KENTUCKY	167	94.1%	1.8%	167	88.2%	2.5%	443	69.6%	2.7%	686	48.6%	3.7%
LOUISIANA	248	90.4%	1.9%	248	85.2%	2.2%	825	65.1%	2.0%	1,193	46.5%	2.8%
MASSACHUSETTS	269	87.7%	2.0%	269	77.3%	2.6%	743	63.3%	2.2%	1,313	53.1%	2.0%
MARYLAND	188	87.8%	2.4%	188	75.0%	3.2%	428	57.6%	2.9%	741	42.1%	2.8%
MICHIGAN	350	91.4%	1.5%	350	80.5%	2.1%	940	68.6%	1.8%	1,417	46.7%	2.7%
MINNESOTA	254	92.3%	1.6%	254	85.7%	2.2%	730	73.3%	2.0%	1,362	60.8%	1.9%
MISSOURI	295	90.8%	1.7%	295	86.1%	2.0%	672	72.5%	2.2%	1,140	57.2%	2.2%
NORTH CAROLINA	237	84.0%	2.4%	237	78.9%	2.6%	679	63.4%	2.3%	1,230	54.3%	2.2%
NEBRASKA	184	93.4%	1.8%	184	85.2%	2.6%	491	69.0%	2.6%	907	55.7%	2.3%
NEW JERSEY	162	93.7%	1.9%	162	84.9%	2.8%	489	65.9%	2.6%	789	57.2%	2.6%
NEW MEXICO	0	-	-	0	-	-	0	-	-	50	54.5%	7.2%
NEW YORK	1,125	86.0%	1.0%	1,125	74.7%	1.3%	2,637	59.4%	1.2%	4,122	45.8%	1.2%
OHIO	436	86.8%	1.6%	436	82.2%	1.8%	1,104	66.4%	1.9%	1,933	50.6%	1.8%
OKLAHOMA	115	94.1%	2.2%	115	85.6%	3.2%	327	77.7%	2.6%	559	69.5%	2.6%
OREGON	100	98.1%	1.3%	100	95.2%	2.1%	269	78.5%	3.3%	538	53.6%	3.3%
PENNSYLVANIA	874	89.8%	1.0%	874	81.7%	1.3%	2,546	64.8%	1.2%	4,493	51.2%	1.1%
SOUTH CAROLINA	109	86.9%	3.2%	109	84.1%	3.5%	307	68.9%	3.1%	550	48.3%	3.3%
TENNESSEE	296	89.6%	1.8%	296	82.9%	2.2%	690	66.3%	2.3%	1,119	50.7%	2.5%
TEXAS	962	90.8%	0.9%	962	84.1%	1.2%	2,662	71.6%	1.1%	4,160	53.5%	1.4%

(Continued)

Source: OPTN/SRTR Data as of May 1, 2008.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Graft survival follows individual transplants until graft failure. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on liver transplants.

Multi-organ transplants are excluded.

Survival rates are adjusted to the characteristics of the 3 month and 1 year cohort. See Technical Notes for details.

**Table 9.8a (Continued)**  
**Adjusted Graft Survival, Deceased Donor Liver Transplants**  
**Survival at 3 Months, 1 Year, 5 Years, and 10 Years**

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2005 - 2006)			(Tx 2005 - 2006)			(Tx 2001 - 2006)			(Tx 1996 - 2006)		
	N	%	Std. Err.									
<b>Transplant Center State</b>												
UTAH	100	92.0%	2.7%	100	86.0%	3.4%	302	74.6%	3.1%	495	56.6%	3.9%
VIRGINIA	199	88.6%	2.2%	199	83.2%	2.6%	541	66.1%	2.6%	1,050	51.7%	2.1%
WASHINGTON	252	93.0%	1.6%	252	87.5%	2.1%	657	76.8%	2.0%	1,006	57.8%	2.6%
WISCONSIN	262	92.0%	1.7%	262	84.7%	2.2%	777	72.6%	1.9%	1,292	56.5%	2.2%
<b>Primary Diagnosis</b>												
Non-Cholestatic Cirrhosis	6,888	91.2%	0.3%	6,888	83.2%	0.5%	18,966	67.3%	0.4%	32,258	50.8%	0.5%
Cholestatic Liver Disease/Cirrhosis	939	90.6%	1.0%	939	84.8%	1.2%	2,825	73.7%	1.0%	5,448	59.9%	1.0%
Acute Hepatic Necrosis	790	84.7%	1.3%	790	78.2%	1.5%	2,254	62.8%	1.3%	3,995	51.1%	1.2%
Biliary Atresia	316	86.3%	2.5%	316	82.2%	2.9%	1,004	74.2%	2.0%	1,942	67.9%	1.6%
Metabolic Diseases	384	85.9%	1.9%	384	80.6%	2.1%	1,028	73.3%	1.7%	1,801	64.3%	1.6%
Malignant Neoplasms	1,356	92.4%	0.7%	1,356	83.8%	1.0%	2,661	63.1%	1.4%	3,131	45.1%	2.2%
Other	830	84.3%	1.3%	830	76.0%	1.5%	2,399	65.4%	1.2%	3,335	53.3%	1.5%

Source: OPTN/SRTR Data as of May 1, 2008.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Graft survival follows individual transplants until graft failure. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on liver transplants.

Multi-organ transplants are excluded.

Survival rates are adjusted to the characteristics of the 3 month and 1 year cohort. See Technical Notes for details.