

## KEY TO SELECTED ACRONYMS

|              |  |
|--------------|--|
| <b>ACOT</b>  | U.S. Department of Health and Human Services Secretary's Advisory Committee on Organ Transplantation |
| <b>AOPO</b>  | Association of Organ Procurement Organizations   |
| <b>ARE</b>   | Acute rejection episode  |
| <b>AT</b>    | Ablative treatments  |
| <b>ATG</b>   | Antithymocyte globulin   |
| <b>BMI</b>   | Body mass index  |
| <b>CAN</b>   | Chronic allograft nephropathy  |
| <b>CF</b>    | Cystic fibrosis  |
| <b>CIT</b>   | Cold ischemia time   |
| <b>CMS</b>   | Centers for Medicare and Medicaid Services   |
| <b>CMV</b>   | Cytomegalovirus  |
| <b>COPD</b>  | Chronic obstructive pulmonary disease  |
| <b>CUSUM</b> | Cumulative sum   |
| <b>CVA</b>   | Cerebrovascular accident   |
| <b>DBD</b>   | Donation after brain death   |
| <b>DCD</b>   | Donation after cardiac death   |
| <b>DDLT</b>  | Deceased donor liver transplant  |
| <b>DDR</b>   | Deceased Donor Registration form   |
| <b>DGF</b>   | Delayed graft function   |
| <b>DH</b>    | Donor Histocompatibility form  |
| <b>DM</b>    | Diabetes mellitus  |
| <b>DMV</b>   | Department of Motor Vehicles   |
| <b>DoT</b>   | Division of Transplantation (of HRSA)  |
| <b>DPI</b>   | Donor Profile Index  |
| <b>DRI</b>   | Donor Risk Index   |

|                  |  |
|------------------|--|
| <b>DSA</b>       | ..... Donation service area  |
| <b>ECD</b>       | ..... Expanded criteria donor  |
| <b>ECLS</b>      | ..... Extracorporeal life support  |
| <b>ECMO</b>      | ..... Extracorporeal membrane oxygenation                                |
| <b>ESLD</b>      | ..... End-stage liver disease  |
| <b>ESRD</b>      | ..... End-stage renal disease  |
| <b>FEV-1</b>     | ..... Forced expiratory volume in 1 second                               |
| <b>FT</b>        | ..... Fraction transplanted  |
| <b>FVC</b>       | ..... Forced vital capacity  |
| <b>GFR</b>       | ..... Glomerular filtration rate   |
| <b>GN</b>        | ..... Glomerulonephritis   |
| <b>GS</b>        | ..... Graft survival   |
| <b>HCC</b>       | ..... Hepatocellular carcinoma   |
| <b>HCV</b>       | ..... Hepatitis C virus  |
| <b>HHS</b>       | ..... U. S. Department of Health and Human Services                      |
| <b>HLA</b>       | ..... Human leukocyte antigen  |
| <b>HLHS</b>      | ..... Hypoplastic left heart syndrome                                    |
| <b>HRSA</b>      | ..... Health Resources and Services Administration                       |
| <b>ICU</b>       | ..... Intensive care unit  |
| <b>IL-2R</b>     | ..... Interleukin-2 receptor   |
| <b>INR</b>       | ..... International normalized ratio (of prothrombin time)               |
| <b>IOM</b>       | ..... Institute of Medicine  |
| <b>INTERMACS</b> | ..... Interagency Registry for Mechanically Assisted Circulatory Support |
| <b>IPBTC</b>     | ..... International Pediatric Bowel Transplant Cooperative               |
| <b>IPF</b>       | ..... Idiopathic pulmonary fibrosis                                      |
| <b>ISHLT</b>     | ..... International Society for Heart and Lung Transplantation           |

|                |   |
|----------------|---|
| <b>KARS</b>    | Kidney Allocation Review Subcommittee (of the OPTN)           |
| <b>KC</b>      | Kidney Committee (of the OPTN)                                |
| <b>KM</b>      | Kaplan-Meier  |
| <b>KP</b>      | Kidney-pancreas   |
| <b>KPSAM</b>   | Kidney-pancreas simulated allocation model                    |
| <b>LAS</b>     | Lung allocation score   |
| <b>LD</b>      | Living donor  |
| <b>LDLT</b>    | Living donor liver transplant                                 |
| <b>LDLLT</b>   | Living donor lobar lung transplant                            |
| <b>LSAM</b>    | Liver simulated allocation model                              |
| <b>LTFU</b>    | Lost to follow-up   |
| <b>LVAD</b>    | Left ventricular assist device                                |
| <b>LYFT</b>    | Life years from transplant                                    |
| <b>MELD</b>    | Model for End-stage Liver Disease (scoring system)            |
| <b>MM</b>      | Mismatch  |
| <b>MMF</b>     | Mycophenolate mofetil   |
| <b>MP</b>      | Machine perfusion   |
| <b>MPSC</b>    | Membership and Professional Standards Committee (of the OPTN) |
| <b>NAPRTCS</b> | North American Pediatric Renal Transplant Cooperative Study   |
| <b>NAT</b>     | Nucleic acid testing  |
| <b>NCHS</b>    | National Center for Health Statistics                         |
| <b>NDI</b>     | National Death Index  |
| <b>NHB</b>     | Nonheartbeating   |
| <b>NIH</b>     | National Institutes of Health                                 |
| <b>NOTA</b>    | National Organ Transplant Act                                 |
| <b>ODBC</b>    | Organ Donation Breakthrough Collaborative                     |
| <b>OPO</b>     | Organ procurement organization                                |

|               |   |
|---------------|---|
| <b>OPTN</b>   | Organ Procurement and Transplantation Network                           |
| <b>ORPD</b>   | Organs recovered per donor  |
| <b>OSR</b>    | OPO-specific report (of the SRTR)                                       |
| <b>OTPD</b>   | Organs transplanted per donor   |
| <b>PA</b>     | Pulmonary artery  |
| <b>PAK</b>    | Pancreas after kidney (a type of isolated pancreas transplantation)     |
| <b>PELD</b>   | Pediatric End-stage Liver Disease (scoring system)                      |
| <b>PHTS</b>   | Pediatric Heart Transplant Study  |
| <b>PKD</b>    | Polycystic kidney disease   |
| <b>PMP</b>    | Pulsatile machine preservation  |
| <b>POC</b>    | Policy Oversight Committee (of the OPTN)                                |
| <b>PPH</b>    | Primary pulmonary hypertension  |
| <b>PRA</b>    | Panel reactive antibody   |
| <b>PSR</b>    | Transplant program-specific report (of the SRTR)                        |
| <b>PT</b>     | Posttransplant  |
| <b>PTA</b>    | Pancreas transplant alone (a type of isolated pancreas transplantation) |
| <b>PTLD</b>   | Posttransplant lymphoproliferative disorder                             |
| <b>PY</b>     | Patient years   |
| <b>RFA</b>    | Radiofrequency ablation   |
| <b>RH</b>     | Recipient Histocompatibility form                                       |
| <b>ROTSOT</b> | <i>SRTR Report on the State of Transplantation</i>                      |
| <b>RR</b>     | Relative risk   |
| <b>RRB</b>    | Regional Review Board   |
| <b>RVAD</b>   | Right ventricular assist device   |
| <b>SAC</b>    | Standard acquisition charge   |
| <b>SAM</b>    | Simulated allocation model  |
| <b>SCD</b>    | Standard criteria donor   |

|               |   |
|---------------|---|
| <b>SEER</b>   | Surveillance, Epidemiology, and End Results Program (of the National Cancer Institute)            |
| <b>SPK</b>    | Simultaneous pancreas-kidney transplantation  |
| <b>SPLIT</b>  | Studies of Pediatric Liver Transplantation  |
| <b>SRTR</b>   | Scientific Registry of Transplant Recipients  |
| <b>SSDMF</b>  | Social Security Death Master File   |
| <b>S-TAC</b>  | SRTR Technical Advisory Committee   |
| <b>TACE</b>   | Trans-arterial chemo-ablation   |
| <b>TCR</b>    | Transplant Candidate Registration form  |
| <b>TGMC</b>   | Transplant Growth and Management Collaborative  |
| <b>TPN</b>    | Total parenteral nutrition  |
| <b>TRF</b>    | Transplant Recipient Follow-up form   |
| <b>TRR</b>    | Transplant Recipient Registration form  |
| <b>TSAM</b>   | Thoracic simulated allocation model   |
| <b>TT</b>     | Time to transplant  |
| <b>UMKECC</b> | University of Michigan Kidney Epidemiology and Cost Center  |
| <b>UNOS</b>   | United Network for Organ Sharing  |
| <b>URREA</b>  | University Renal Research and Education Association (now Arbor Research Collaborative for Health) |
| <b>USRDS</b>  | United States Renal Data System   |
| <b>VAD</b>    | Ventricular assist device   |
| <b>WL</b>     | Waiting list  |
| <b>WT</b>     | Waiting time  |