OPTN/UNOS Histocompatibility Committee Meeting Minutes April 10, 2018 Conference Call

Robert Bray, PhD, D(ABHI), Chair Cathi Murphey, PhD, HCLD/CC(ABB), Vice Chair

Introduction

The Histocompatibility Committee (Committee) met via Citrix GoToTraining teleconference on 04/10/18 to discuss the following agenda items:

1. Addressing HLA Typing Errors Project Update

The following is a summary of the Committee's discussions.

1. Addressing HLA Typing Errors Project Update

Summary of discussion:

The Committee discussed this project at length during their in person meeting in March, but had some outstanding items to review at this meeting. The Committee continued to refine a survey to gather member practices when collecting and reporting HLA data. The Committee provided feedback on questions to ensure clarity for members.

The Committee then reviewed 2017 data (Figure 1) from the discrepancy review done by the Discrepant HLA Typing Subcommittee. Committee members were interested in the average time between rerun match runs for discrepant matches.

2017 Discrepancy Q3 Q4 Total 3 0 Sample Integrity Issue Typing Errors (Clerical, Technical and Interpretive) 2 2 2 Bw4/Bw6 Issues 0 6 DRB345 Issues 0 1 3 0 4 **DR53 Null Issues** 1 1 3 1 6 DPB1 Errors 5 4 2 2 13 Other Typing Errors 6 9 26 4 Split vs. Parent Cw3 16 42 5 10 11 DR3 0 0 0 1 1 DQ3 0 0 3 Other 3 4 0 3 10 Total Errors 25 28 25 36 114 **Total Donors** 2509 2593 2570 2509 10181 Percentages 1.00% 1.08% 0.97% 1.43% 1.12% Discrepancies 17 13 16 15 61 32 Match Rerun 9 5 9 9 52.94% Percentage 38.46% 56.25% 60.00% 52.46% Average Time Between Match Runs 10.275

Figure 1: 2017 Discrepancy Data

Next steps:

The Discrepant HLA Typing Subcommittee will continue to refine the survey. The Committee will also vote on policy language for this project at an upcoming meeting with the goal of sending the proposal out for public comment in August 2018.

Upcoming Meetings

- May 8, 2018
- June 5, 2018