

# Analysis Report

## Data Request from the OPTN Liver & Intestinal Organ Transplantation Committee

Date: 5/1/2017

This report was provided to HRSA by SRTR in support of ongoing policy consideration by the OPTN Liver and Intestinal Organ Transplantation Committee. The analysis described herein was conducted at the specific request of the OPTN Committee and does not represent a full or final analysis related to the policy issue under consideration.

### Prepared By:

David Schladt, MS; Tim Weaver, MS; Josh Pyke, PhD; Jessica Zeglin, MPH; Bertram L. Kasiske, MD; Ajay K. Israni, MD; Sommer Gentry, PhD; John R. Lake, MD; Jon Snyder, PhD; W. Ray Kim, MD

Data Request ID#: LI2016\_04

### Timeline:

Committee met	Original meeting: November 17, 2016 Subsequent meeting: February 27, 2017 (Redistribution Subcommittee)
Request made	Original request: December 1, 2016 Updated request: March 10, 2017
Analysis plan submitted	Original analysis plan: December 15, 2016 Updated analysis plan: March 21, 2017
Analysis report to be submitted	May 1, 2017
Next Committee meeting	May 8, 2017

## Table of Contents

Executive Summary .....	3
Overview data tables .....	6
Policy concepts.....	7
Area of Distribution .....	7
Allocation.....	7

Scientific concepts .....	7
Mathematical optimization.....	7
Simulation modeling.....	8
Data request: provide revised LSAM data on key proposals for redistricting.....	9
Study population.....	12
Analytical approach .....	12
Policy scenarios.....	12
Metrics .....	13
LSAM Update .....	14
Results .....	15
MELD/PELD at Transplant.....	15
Transplant.....	18
Waitlist Mortality .....	24
Posttransplant Mortality .....	30
Transport.....	32
Appendix A: Results by UNOS region.....	35
MELD/PELD at Transplant.....	35
Transplant.....	46
Waitlist Mortality .....	68
Posttransplant Mortality .....	90
Transport.....	112
Appendix B: Results by age, sex, and race/ethnicity.....	145
MELD/PELD at Transplant.....	145
Transplant.....	151
Waitlist Mortality .....	160
Posttransplant Mortality .....	169
Transport.....	175
Appendix C: district definitions .....	184
Appendix D: neighborhood definitions .....	185
Appendix E: allocation ordering for policy scenarios simulated in LI2016_04 .....	188

## Executive Summary

The OPTN Liver and Intestinal Organ Transplantation Committee (the Committee) requested that SRTR update the liver simulated allocation model (LSAM) and use the updated LSAM to assess the simulated impact of conceptualized liver redistribution policies, including the use of circles, districts, or neighborhoods for liver distribution.

**What's new in this analysis?** The Committee has seen several reports assessing different types and variations of conceptualized liver redistribution policies. The major differences between this report and previous analyses include:

- **MELD/PELD 29 sharing threshold:** All policies examined here include a “sharing threshold” of allocation MELD/PELD of 29 or above. This means that only candidates with an allocation MELD/PELD score of 29 or above are included in the first level of circle, district, or neighborhood allocation. (See details of allocation orders for these policies in Appendix E.)
- **Proximity points:** All policies examined here include three additional MELD/PELD points awarded to candidates within a certain proximity to the donor hospital. Two variations on proximity point policies are included: (1) proximity points awarded to candidates within a 150-mile radius of the donor hospital, and (2) proximity points awarded to candidates within the DSA of the donor hospital.
- **Neighborhoods, districts, and circles:** Circle and district distribution policies have been assessed in various reports, though not with the DSA-based proximity points (for districts and circles) or the MELD/PELD 29 sharing threshold (for circles). Neighborhoods distribution policies are assessed for the first time in SRTR reports here.
- **Updated LSAM:** All policies in this report are assessed using an updated LSAM software package.

**LSAM update:** As requested, SRTR rebuilt the LSAM software using recent data collected July 2011 through June 2016. The rebuild included updating the input data and rebuilding the LSAM's predictive models (travel model, organ acceptance model, and posttransplant model). This update also included adding capability to model neighborhood concepts and implementing MELD sodium and HCC cap and delay policies.

### Main Findings

**MELD scores at transplant:** The variation in median MELD/PELD at transplant between DSAs is projected to decrease 2-fold in all alternative policy scenarios compared with current policy for all patients, and 3-fold for patients with no exceptions. At the same time, the national median MELD/PELD at transplant for all patients nationwide is projected to increase 1.5 to 2 MELD points for all alternative policy scenarios compared with current policy. This is likely due to the broader sharing of organs, as the highest-MELD patients undergo transplant more quickly due to increased access to deceased donor organs, while somewhat lower-MELD patients wait longer for transplant.

**Transplant rates and counts:** Transplant rates overall are projected to decrease slightly in alternative policy scenarios compared with current policy, from a rate of 0.44 transplants per patient-year (44 per 100 patient-years) under current policy to approximately 0.42 transplants per patient-year (42 per 100 patient-years) in alternative policy scenarios. Similarly, LSAM projects that transplant counts overall may decrease from around 6,600 to 6,500 (decrease of 100) under current

and alternative policies, but ranges of estimates overlap, indicating that we cannot be confident a change will occur. The LSAM model of organ discards predicts a discard event when an organ has been offered 200 times without being accepted, so this difference in transplant counts indicates that offer numbers increase in alternative policy scenarios, consistent with broader sharing. In population subgroups, transplant rates decrease slightly for patients with HCC and Other exceptions, with no change in transplant counts, indicating that these patients may wait longer for transplant but that numbers of transplants are not projected to decrease.

- Transplant rates for M/P 35+ increase under all alternative policy scenarios compared with current policy. However, transplant counts for these patients remain the same as under current policy in all alternative policy scenarios. Since transplant rate is a measure of transplants per time on the waiting list, this indicates that M/P 35+ patients are projected to spend less time waiting for transplant under alternative policy scenarios, but the overall count of transplants in this population is not projected to change.
- Transplant rates and counts for patients with M/P 29-34 increase in all alternative policy scenarios compared with current policy. This projected increase is likely due to M/P 29+ patients being included in the district/circle/neighborhood-wide offer pool, just behind status 1A and 1B patients.
- Transplant counts are projected to decrease for M/P 25-28 and 15-24 patients under alternative policies compared with current policy. Transplant rates for these patients may decrease slightly or remain the same as under current policy. Transplant rates and counts for patients with M/P < 15 remain constant, but low, under current policy and alternative policy scenarios.
- The variation in transplant rates between DSAs decreases slightly in all alternative policy scenarios compared with current policy.

**Waitlist mortality rates and counts:** Overall waitlist mortality rates and counts for all patients are projected to decrease in all alternative policy scenarios compared with current policy. This is likely due to more transplants occurring more quickly for higher-MELD/PELD patients on the waiting list.

- Waitlist mortality rates and counts are projected to decrease for M/P 35+ patients in all alternative policy scenarios compared with current policy. Waitlist mortality counts are also projected to be slightly lower for M/P 29-34 patients, but waitlist mortality rates for these patients remain unchanged under current and alternative policies.
- Waitlist mortality counts may increase very slightly for M/P 25-28 patients, or may remain the same as under current policy. Waitlist mortality counts increase for M/P 15-24 patients under alternative policies compared with current policy. However, waitlist mortality rates for these patients are projected to remain unchanged from current policy.
- The overall variation in rates of waitlist mortality between DSAs may decrease very slightly or remain unchanged from current policy under alternative policy scenarios.

**Posttransplant mortality rates and counts:** Post-transplant mortality rates and counts are not expected to change in alternative policy scenarios.

**Transport metrics:** Overall transport time, transport distance, and percentages of organs flown are projected to increase under alternative policies compared with current policy. This is likely due to more transplants in MELD/PELD 29+ patients over larger geographic areas.

**Subgroup analysis:** SRTR also assessed the projected effect of the alternative policies on age (pediatric), sex (female), and race/ethnicity (African American, Hispanic/Latino, Asian) subgroups. For most metrics, sex and race/ethnicity subgroups were affected similarly to the overall population (as described above). However, projected effects for pediatric patients differed from overall patient results.

- **Pediatrics:** Variance in median MELD/PELD at transplant is much higher in the pediatric population than in the overall population under current policy, and variance decreases more for pediatric patients than for the overall population under alternative policies compared with current policy. Transplant counts and rates increase for the pediatric population, but remain stable under current policy or decrease slightly under alternative policies for the overall population. Median travel time, median travel distance, and percentage of organs flown are higher for pediatric populations than for the overall population under current policy, and the magnitude of increase in travel for pediatric populations is similar to the magnitude for the overall population.

### **Comparison of Alternative Policy Scenarios**

**Tradeoff between transport increases and disparity reductions:** Alternative policy scenarios that decrease disparities more are those with a greater effect on increased travel time, distance, and flight percentages. However, all of the alternative policy scenarios examined here are projected to notably decrease the disparity in median MELD/PELD at transplant from current policy, while increasing travel time, distance, and percentage of organs flown.

**Proximity points:** A notable projected difference between the two types of proximity points (150-mile radius circle versus DSA) is present only with regard to transport metrics. Proximity points awarded within the DSA produce somewhat higher transport metrics across all alternative policy types than proximity points awarded within a 150-mile radius circle from the donor hospital. This is likely because many DSAs are larger geographically than a 300-mile diameter circle, and organs are distributed to patients with proximity points within these somewhat larger (although variably-sized) geographic areas.

## Overview data tables

Table 1 Overview of main metrics

	variance in median M/P at transplant	median MELD/PELD at transplant	median transport time (hours)	median transport distance (miles)	% of organs flowed
Current	10.3 (9.2,11.4)	29 (29,29)	1.57 (1.56,1.58)	114.2 (114.2,114.2)	56.6 (56.1,57.1)
8D 150m	3.2 (2.6,3.6)	30.5 (30,31)	1.75 (1.74,1.76)	168.6 (164.1,170.9)	70.1 (69.6,70.7)
8D DSA	3.1 (2.7,3.4)	30.4 (30,31)	1.77 (1.76,1.78)	184.7 (178.9,189.8)	70.5 (69.9,71.1)
500c 150m	4.3 (3.2,5.8)	31 (31,31)	1.84 (1.83,1.86)	221.1 (215.4,229.5)	74.8 (74.4,75.3)
500c DSA	4.1 (3.2,5.2)	31 (31,31)	1.87 (1.86,1.88)	238.1 (235.4,241.9)	75.7 (75.4,76.3)
N'hood 150m	1.8 (1.6,2)	31 (31,31)	1.87 (1.87,1.88)	234.6 (230.9,237.8)	76 (75.5,76.5)
N'hood DSA	2 (1.5,4.1)	31 (31,31)	1.9 (1.89,1.91)	255.3 (252,257.6)	76.9 (76.5,77.2)

All metrics reported as *mean (min, max)* across the 10 simulation iterations.

Table 2 Overview of additional metrics

	transplant rate	transplant count	waitlist mortality rate	waitlist mortality count	post-tx mortality rate	post-tx mortality count
Current	0.436 (0.427,0.446)	6568 (6504,6649)	0.084 (0.083,0.086)	1272 (1252,1300)	0.077 (0.075,0.079)	2037 (1951,2097)
8D 150m	0.421 (0.414,0.429)	6487 (6413,6567)	0.079 (0.077,0.08)	1213 (1189,1235)	0.078 (0.074,0.081)	2034 (1942,2122)
8D DSA	0.421 (0.415,0.43)	6488 (6426,6580)	0.079 (0.078,0.08)	1215 (1195,1234)	0.078 (0.076,0.081)	2040 (1978,2123)
500c 150m	0.418 (0.41,0.424)	6480 (6403,6548)	0.076 (0.075,0.077)	1183 (1155,1201)	0.078 (0.076,0.08)	2049 (1998,2107)
500c DSA	0.418 (0.411,0.428)	6484 (6405,6569)	0.076 (0.074,0.077)	1179 (1150,1193)	0.078 (0.075,0.082)	2042 (1962,2158)
N'hood 150m	0.416 (0.41,0.426)	6466 (6393,6556)	0.076 (0.074,0.077)	1177 (1147,1197)	0.078 (0.076,0.081)	2051 (1974,2123)
N'hood DSA	0.416 (0.41,0.426)	6469 (6405,6559)	0.076 (0.075,0.077)	1179 (1157,1204)	0.079 (0.077,0.082)	2072 (2006,2206)

All metrics reported as *mean (min, max)* across the 10 simulation iterations. All rates are per patient-year.

## Policy concepts

This section provides a brief overview of policy concepts used in conversations regarding liver redistribution and in this report.

### Area of Distribution

Distribution indicates the geographic area within which available donor organs are distributed. For liver transplant, organs are currently distributed within the DSA, the OPTN region, and nationally. See [OPTN Policy 9.6.E – 9.6.G](#) for more detail.

### Circles

Circles indicate a geographic area of distribution of a given radius around the donor hospital. This is similar to the concept of zones used in thoracic organ allocation.

### Districts

Districts are groupings of DSAs with static, non-overlapping boundaries.

### Neighborhoods

Neighborhoods are groupings of DSAs with static, overlapping boundaries.

### Allocation

Allocation indicates the process by which available donor organs are distributed. For liver transplant, organs are generally allocated by model for end-stage liver disease (MELD) and pediatric end-stage liver disease (PELD) scores and by blood type and waiting time. See [OPTN Policy 9](#) for more detail.

## Scientific concepts

### Mathematical optimization

Both the neighborhoods and districts concepts examined in this analysis result from applying a mathematical optimization approach to the issue of inequality in liver allocation. Optimization in this context has four main parts:

**Choose the objective:** Select the goal of the optimization, and express this goal in a mathematical form that can be used to evaluate potential solutions. This often involves taking a general goal, such as reducing disparity, and selecting a specific definition of that goal that can be represented quantitatively. Several such definitions are reasonable in different contexts for reducing disparity; for example: minimizing the sum of absolute differences, minimizing the maximum squared difference of ratios, minimizing pairwise differences, etc. Each has a slightly different implication in expressing the goal of a policy change.

**Identify the constraints:** Real-world systems have limitations in factors such as cost, implementation difficulty, and minimum performance standards. The constraints specify the acceptable standards in these areas for solutions resulting from the optimization process. For example, the Committee has suggested that liver distribution areas should contain at least six transplant programs.

**Search for a solution:** The constraints identified in the previous step define the universe of acceptable solutions to the problem, while the objective specifies a way of rating each solution. To identify the optimal solution, it is necessary to generate a set of alternative solutions that meet the constraints and find those with the highest objective scores.

**Evaluate the solution:** The solution search identifies optimal solutions based only on the objective and the constraints. In many complex systems, these will not describe every aspect of the system being optimized, and so it is often important to evaluate the proposed solution in a live trial or simulated implementation. This evaluation provides a wider range of performance metrics and helps to identify unintended consequences.

## Simulation modeling

One method used for policy evaluation is simulation modeling. Simulation modeling uses data and software to simulate the functioning of the nationwide liver transplant system. Patients are listed on the waiting list, donor organs arrive, and transplants occur, just as in real life. Policy conditions can be modified within the simulations, allowing us to examine the probable outcomes of various policy scenarios in a way that is close to real life without putting patients at risk.

The software tool that SRTR uses to conduct simulation modeling of the US liver transplant system is the liver simulated allocation model (LSAM). The LSAM is a discrete-event simulation of the liver allocation system, which simulates the allocation of donated livers to waitlisted candidates by drawing on historical patient data including candidate listing, candidate status changes, and organ donations.

## Data request: provide revised LSAM data on key proposals for redistricting

The full text of the original OPTN data request to which this report responds is shown below, as submitted on November 2, 2016.

### OPTN Committee Data Analysis Request Form

Date Form Submitted to HRSA:

Requesting Committee: OPTN Liver and Intestinal Organ Transplantation Committee, Redistribution Subcommittee

Date Committee Met: February 27, 2017

Date of Next Meeting: TBD

OPTN staff member referring Committee's requests: Ann Harper

Chair Approval?

#### ANALYSES REQUESTED:

• Descriptive Statistical Requests (responsibility of OPTN contractor)

NONE.

• Inferential STATISTICAL REQUESTS (RESPONSIBILITY OF SRTR CONTRACTOR)

*Data Request 1: Provide revised LSAM data on key proposals for redistricting*

*Background: At the in-person meeting on October 24, 2016, the committee discussed feedback received on the redistricting proposal that went out for public comment in the fall. The majority of the respondents were not in favor of the proposal, citing, for example, the need to develop more recent cohorts in LSAM and the need to consider alternatives such as concentric circles and the "neighborhoods" concept. The Committee agreed to continue to develop the 8 district model, as well as consider these alternative concepts. The Committee also requested that any future LSAM runs be done with a more recent cohort.*

*Strategic Goal or Committee Project Addressed: Reduce disparities in access to liver transplants*

*Request: Using the most recently available data (preferably since the beginning of "Share 35" on 6/18/2013), model the following distribution systems:*

- Current system
- 8 districts with 3 additional priority points given to candidates within a 150 mile radius of the donor hospital with a sharing threshold of 29
- 8 districts with 3 additional priority points given to candidates within the DSA of the donor hospital and a sharing threshold of 29

OPTN | UNOS

1

- 500 mile radius concentric circles with 3 additional priority points given to candidates within a 150 mile radius of the donor hospital and a sharing threshold of 29
- 500 mile radius concentric circles with 3 additional priority points given to candidates within the DSA of donor hospital and a sharing threshold of 29
- "Neighborhoods" as defined by Dr. Mehrotra in 2017 (see attachment) with 3 additional priority points given to candidates within a 150 mile radius of the donor hospital and a sharing threshold of 29
- "Neighborhoods" as defined by Dr. Mehrotra in 2017 (see attachment) with 3 additional priority points given to candidates within the DSA of the donor hospital and a sharing threshold of 29

*Note: Alternative scenarios to use the "in-district" paradigm*

*Additional Note: The attachment shows the list of DSAs assigned to Neighborhoods by Dr. Mehrotra in 2017. These are the Neighborhoods to use in simulation modeling. The allocation order for the modeling is to match that listed above for the concentric circle and 8 district scenarios.*

*Based on the above scenarios, provide the following metrics overall and by current regions:*

- Waiting list mortality rates
- Variance in waiting list mortality rates
- Transplant rates
- Variance in transplant rates
- Median MELD/PELD at transplant
- Variance in median MELD/PELD at transplant
- Transport metrics (specifics to be determined)

**• OTHER Requests**

None

[illegible]

## Study population

The Committee has expressed strong interest in simulations based on the most recent data possible, and, if available, data collected after the Share35 liver allocation policy implementation. Reflecting this request, data for these policy simulations were collected between July 2013 and June 2016, post-Share35 implementation.

The simulation uses donor and candidate populations created by the LSAM donor and candidate generators. This software draws on patient data for transplant candidates listed at the beginning of the data cohort period, and candidates added to the waiting list and organs donated during the data cohort period. The generators use these real patient data to create independent donor and candidate populations for each of the multiple LSAM iterations involved in simulating each allocation scenario.

## Analytical approach

### Policy scenarios

As noted in the OPTN data request, the Committee requested evaluation of simulation results for liver allocation scenarios using different types of distribution systems. These include the current system, an 8-district system, a 500-mile radius circle system, and a neighborhoods system.

The policy scenarios simulated as part of this request are shown in Table 3.

**Table 3: Policy scenarios simulated in LI2016\_04.**

Scenario	System type	Proximity point implementation	Sharing threshold*
1	Current system	n/a	n/a
2	8 districts	3 points awarded to candidates within a 150-mile radius of the donor hospital	MELD/PELD of 29
3	8 districts	3 points awarded to candidates within the DSA of the donor hospital	MELD/PELD of 29
4	500-mile radius concentric circles	3 points awarded to candidates within a 150-mile radius of the donor hospital	MELD/PELD of 29
5	500-mile radius concentric circles	3 points awarded to candidates within the DSA of the donor hospital	MELD/PELD of 29
6	Neighborhoods (as defined in February 2017)	3 points awarded to candidates within a 150-mile radius of the donor hospital	MELD/PELD of 29
7	Neighborhoods (as defined in February 2017)	3 points awarded to candidates within the DSA of the donor hospital	MELD/PELD of 29

\*Sharing threshold indicates that adult candidates with this MELD/PELD or higher are included in the first level of district, circle, or neighborhood allocation.

District type policy scenarios use the “in-district” designation for proximity points: Candidates listed within the donor hospital district and within 150 miles of the donor hospital receive 3 proximity

MELD/PELD points at the district level of allocation. If the offered organ reaches the national level of allocation, candidates listed within 150 miles of the donor hospital receive 3 proximity MELD/PELD points.

The update to this data request from the Committee's Redistribution Subcommittee stipulates that the neighborhoods to be simulated are those defined by Dr. Mehrotra in February 2017. The list of DSAs assigned to neighborhoods in this formulation is shown in the data request (above) and in Appendix D. As also noted in the updated data request, the allocation order for modeling the neighborhoods is to match that listed for the concentric circle and 8-district scenarios. The allocation order used for neighborhoods is shown in Appendix E.

## Metrics

The OPTN data request specified that the following outcome metrics be assessed. Metrics are assessed for the overall population, and, where possible, by current OPTN region and patient exception status. Although not specified in the OPTN data request, SRTR also assessed metrics by subgroup populations including pediatrics (age younger than 18 years), sex (female), and race/ethnicity (African American, Asian/Pacific Islander, Hispanic, white).

Metrics include:

- Waitlist mortality rates
- Variance in waitlist mortality rates
- Transplant rates
- Variance in transplant rates
- Transplant counts
- Median MELD/PELD at transplant
- Variance in median MELD/PELD at transplant
- Median transport distance
- Median transport time
- Percentage of organs flown for transport
- Posttransplant patient survival

## LSAM Update

As requested by the Committee, SRTR rebuilt the LSAM software with updates to the data cohort, predictive models, and functionality. This includes the following changes:

**Data cohort period:** The updated LSAM includes data for a 5-year cohort of candidates and donors collected between July 1, 2011, and June 30, 2016. The simulations in this report use data from the last 3 years of this cohort, from July 1, 2013, to June 30, 2016, so all data are from the period after implementation of Share35.

**Changes to MELD:** Two recent policy updates changed the way MELD scores are calculated. All adult candidates with laboratory MELD scores of 11 or higher now receive MELD adjustments based on serum sodium levels. The scores awarded to HCC exception candidates also changed, with a delay of 6 months before exception points are awarded and a cap of 34. The HCC cap and delay policies apply to both standard and out-of-policy HCC exceptions, which may differ from regional review board practice in some regions today. These policies went into effect during the period covered by the 3-year request cohort. In the updated LSAM cohort, these rules are applied across the entire period so as to represent current policy as it exists now.

**Predictive models:** LSAM uses statistical models trained on historical transplant data to predict offer acceptance and graft and patient survival. These models have been rebuilt using the most recent data available. The LSAM also uses a travel model to predict whether a given pair of donor and transplant program would use ground or air transportation to transport an organ, and this model has been updated with the locations of all programs in the new data cohort.

**Neighborhood modeling:** LSAM has been updated to support overlapping neighborhood distribution systems.

## Results

Results for the simulated scenarios are reported primarily in the form of plots, with each plot displaying the values for a given metric across the 5 scenarios tested. In viewing these results, it is important to compare each of the 5 scenarios with the current allocation policy scenario to identify changes in outcome metrics due to the proposed policy changes. Each scenario was simulated 10 times, and the plot displays the range of results across the 10 simulations as a vertical line extending from the minimum value to the maximum value found for that metric and scenario. A point along that line marks the mean value of the metric across the 10 iterations.

### MELD/PELD at Transplant

#### Variance in Median MELD/PELD at Transplant by DSA




Figure 1 Variance in median M/P at transplant by DSA by exception status

## Median MELD/PELD at Transplant




Figure 2 Median MELD/PELD at transplant by exception status - all regions


**Maps of Median MELD/PELD at Transplant by DSA****Maps of Median MELD/PELD at Transplant by DSA**

Figure 3 Maps of median MELD/PELD at transplant by DSA

## Transplant

### Transplant Rates




Figure 4 Transplant rates by exception status - all regions

## Transplant Counts

Transplant Counts by Exception Status - All Regions





Figure 5 Transplant counts by exception status - all regions

**Transplant Rates by MELD/PELD***Figure 6 Transplant rates by MELD/PELD - all regions*

## Transplant Counts by MELD/PELD

### Transplant Counts by MELD/PELD - All Regions




Figure 7 Transplant counts by MELD/PELD - all regions

## Variance in Transplant Rates by DSA

### Variance in Transplant Rates by DSA by Exception Status




Figure 8 Variance in transplant rates by DSA by exception status

## Maps of Transplant Rates by DSA

### Maps of Transplant Rates by DSA




Figure 9 Maps of transplant rates by DSA

## Waitlist Mortality

## Waitlist Mortality Rates



Figure 10 Waitlist mortality rates by exception status - all regions

## Waitlist Mortality Counts





Figure 11 Waitlist mortality counts by exception status - all regions

**Waitlist Mortality Rates by MELD/PELD**

Waitlist mortality rates by MELD/PELD - All Regions

*Figure 12 Waitlist mortality rates by MELD/PELD - all regions*

## Waitlist Mortality Counts by MELD/PELD

### Waitlist Mortality Counts by MELD/PELD - All Regions




Figure 13 Waitlist mortality counts by MELD/PELD - all regions

**Variance in Waitlist Mortality Rates by DSA**

Figure 14 Variance in waitlist mortality rates by DSA by exception status


**Maps of Waitlist Mortality Rates by DSA****Maps of Waitlist Mortality Rates by DSA**

Figure 15 Maps of waitlist mortality rates by DSA

## Posttransplant Mortality

### Posttransplant Mortality Rates




Figure 16 Posttransplant mortality rates by exception status - all regions

## Posttransplant Mortality Counts




Figure 17 Posttransplant mortality counts by exception status - all regions

## Transport

### Median Transport Time




Figure 18 Median Transport Time by exception status - all regions

## Median Transport Distance

### Median Transport Distance by Exception Status - All Regions




Figure 19 Median Transport Distance by exception status - all regions

## Percent of Organs Flown




Figure 20 Percent of Organs Flown by exception status - all regions

## Appendix A: Results by UNOS region

### MELD/PELD at Transplant

#### Median MELD/PELD at Transplant




Figure 21 Median MELD/PELD at transplant by exception status - region 1




Figure 22 Median MELD/PELD at transplant by exception status - region 2




Figure 23 Median MELD/PELD at transplant by exception status - region 3




Figure 24 Median MELD/PELD at transplant by exception status - region 4




Figure 25 Median MELD/PELD at transplant by exception status - region 5




Figure 26 Median MELD/PELD at transplant by exception status - region 6




Figure 27 Median MELD/PELD at transplant by exception status - region 7




Figure 28 Median MELD/PELD at transplant by exception status - region 8




Figure 29 Median MELD/PELD at transplant by exception status - region 9




Figure 30 Median MELD/PELD at transplant by exception status - region 10




Figure 31 Median MELD/PELD at transplant by exception status - region 11

## Transplant

### Transplant Rates

Transplant Rates by Exception Status - Region 1




Figure 32 Transplant rates by exception status - region 1




Figure 33 Transplant rates by exception status - region 2




Figure 34 Transplant rates by exception status - region 3




Figure 35 Transplant rates by exception status - region 4




Figure 36 Transplant rates by exception status - region 5




Figure 37 Transplant rates by exception status - region 6




Figure 38 Transplant rates by exception status - region 7




Figure 39 Transplant rates by exception status - region 8




Figure 40 Transplant rates by exception status - region 9




Figure 41 Transplant rates by exception status - region 10




Figure 42 Transplant rates by exception status - region 11

## Transplant Counts

Transplant Counts by Exception Status - Region 1




Figure 43 Transplant counts by exception status - region 1



Figure 44 Transplant counts by exception status - region 2




Figure 45 Transplant counts by exception status - region 3




Figure 46 Transplant counts by exception status - region 4




Figure 47 Transplant counts by exception status - region 5




Figure 48 Transplant counts by exception status - region 6




Figure 49 Transplant counts by exception status - region 7




Figure 50 Transplant counts by exception status - region 8




Figure 51 Transplant counts by exception status - region 9




Figure 52 Transplant counts by exception status - region 10




Figure 53 Transplant counts by exception status - region 11

## Waitlist Mortality

## Waitlist Mortality Rates

Waitlist Mortality Rates by Exception Status - Region 1




Figure 54 Waitlist mortality rates by exception status - region 1




Figure 55 Waitlist mortality rates by exception status - region 2




Figure 56 Waitlist mortality rates by exception status - region 3




Figure 57 Waitlist mortality rates by exception status - region 4




Figure 58 Waitlist mortality rates by exception status - region 5




Figure 59 Waitlist mortality rates by exception status - region 6




Figure 60 Waitlist mortality rates by exception status - region 7




Figure 61 Waitlist mortality rates by exception status - region 8




Figure 62 Waitlist mortality rates by exception status - region 9




Figure 63 Waitlist mortality rates by exception status - region 10




Figure 64 Waitlist mortality rates by exception status - region 11

## Waitlist Mortality Counts




Figure 65 Waitlist mortality counts by exception status - region 1




Figure 66 Waitlist mortality counts by exception status - region 2




Figure 67 Waitlist mortality counts by exception status - region 3




Figure 68 Waitlist mortality counts by exception status - region 4




Figure 69 Waitlist mortality counts by exception status - region 5




Figure 70 Waitlist mortality counts by exception status - region 6




Figure 71 Waitlist mortality counts by exception status - region 7




Figure 72 Waitlist mortality counts by exception status - region 8




Figure 73 Waitlist mortality counts by exception status - region 9




Figure 74 Waitlist mortality counts by exception status - region 10




Figure 75 Waitlist mortality counts by exception status - region 11

## Posttransplant Mortality

## Posttransplant Mortality Rates




Figure 76 Posttransplant mortality rates by exception status - region 1




Figure 77 Posttransplant mortality rates by exception status - region 2




Figure 78 Posttransplant mortality rates by exception status - region 3




Figure 79 Posttransplant mortality rates by exception status - region 4




Figure 80 Posttransplant mortality rates by exception status - region 5




Figure 81 Posttransplant mortality rates by exception status - region 6




Figure 82 Posttransplant mortality rates by exception status - region 7




Figure 83 Posttransplant mortality rates by exception status - region 8




Figure 84 Posttransplant mortality rates by exception status - region 9




Figure 85 Posttransplant mortality rates by exception status - region 10




Figure 86 Posttransplant mortality rates by exception status - region 11


**Posttransplant Mortality Counts**

Figure 87 Posttransplant mortality counts by exception status - region 1




Figure 88 Posttransplant mortality counts by exception status - region 2




Figure 89 Posttransplant mortality counts by exception status - region 3




Figure 90 Posttransplant mortality counts by exception status - region 4




Figure 91 Posttransplant mortality counts by exception status - region 5




Figure 92 Posttransplant mortality counts by exception status - region 6




Figure 93 Posttransplant mortality counts by exception status - region 7




Figure 94 Posttransplant mortality counts by exception status - region 8




Figure 95 Posttransplant mortality counts by exception status - region 9




Figure 96 Posttransplant mortality counts by exception status - region 10




Figure 97 Posttransplant mortality counts by exception status - region 11

## Transport

### Median Transport Time




Figure 98 Median Transport Time by exception status - region 1




Figure 99 Median Transport Time by exception status - region 2




Figure 100 Median Transport Time by exception status - region 3




Figure 101 Median Transport Time by exception status - region 4




Figure 102 Median Transport Time by exception status - region 5




Figure 103 Median Transport Time by exception status - region 6




Figure 104 Median Transport Time by exception status - region 7




Figure 105 Median Transport Time by exception status - region 8




Figure 106 Median Transport Time by exception status - region 9




Figure 107 Median Transport Time by exception status - region 10




Figure 108 Median Transport Time by exception status - region 11

## Median Transport Distance

### Median Transport Distance by Exception Status - Region 1




Figure 109 Median Transport Distance by exception status - region 1




Figure 110 Median Transport Distance by exception status - region 2




Figure 111 Median Transport Distance by exception status - region 3




Figure 112 Median Transport Distance by exception status - region 4




Figure 113 Median Transport Distance by exception status - region 5




Figure 114 Median Transport Distance by exception status - region 6




Figure 115 Median Transport Distance by exception status - region 7




Figure 116 Median Transport Distance by exception status - region 8




Figure 117 Median Transport Distance by exception status - region 9




Figure 118 Median Transport Distance by exception status - region 10




Figure 119 Median Transport Distance by exception status - region 11

## Percent of Organs Flown




Figure 120 Percent of Organs Flown by exception status - region 1




Figure 121 Percent of Organs Flown by exception status - region 2




Figure 122 Percent of Organs Flown by exception status - region 3




Figure 123 Percent of Organs Flown by exception status - region 4




Figure 124 Percent of Organs Flown by exception status - region 5




Figure 125 Percent of Organs Flown by exception status - region 6




Figure 126 Percent of Organs Flown by exception status - region 7




Figure 127 Percent of Organs Flown by exception status - region 8




Figure 128 Percent of Organs Flown by exception status - region 9




Figure 129 Percent of Organs Flown by exception status - region 10




Figure 130 Percent of Organs Flown by exception status - region 11

## Appendix B: Results by age, sex, and race/ethnicity

### MELD/PELD at Transplant

#### Variance in Median MELD/PELD at Transplant by DSA




Figure 131 Variance in median M/P at transplant by DSA by age - all regions




Figure 132 Variance in median M/P at transplant by DSA by sex - all regions




Figure 133 Variance in median M/P at transplant by DSA by race/ethnicity - all regions


**Median MELD/PELD at Transplant**

Figure 134 Median MELD/PELD at transplant by age - all regions




Figure 135 Median MELD/PELD at transplant by sex - all regions




Figure 136 Median MELD/PELD at transplant by race/ethnicity - all regions

## Transplant

### Transplant Rates




Figure 137 Transplant rates by age - all regions




Figure 138 Transplant rates by sex - all regions




Figure 139 Transplant rates by race/ethnicity - all regions

## Transplant Counts




Figure 140 Transplant counts by age - all regions




Figure 141 Transplant counts by sex - all regions




Figure 142 Transplant counts by race/ethnicity - all regions

## Variance in Transplant Rates by DSA




Figure 143 Variance in transplant rates by DSA by age - all regions




Figure 144 Variance in transplant rates by DSA by sex - all regions





Figure 145 Variance in transplant rates by DSA by race/ethnicity - all regions

## Waitlist Mortality

## Waitlist Mortality Rates

*Figure 146 Waitlist mortality rates by age - all regions*




Figure 147 Waitlist mortality rates by sex - all regions




Figure 148 Waitlist mortality rates by race/ethnicity - all regions

## Waitlist Mortality Counts




Figure 149 Waitlist mortality counts by age - all regions




Figure 150 Waitlist mortality counts by sex - all regions




Figure 151 Waitlist mortality counts by race/ethnicity - all regions

## Variance in Waitlist Mortality Rates by DSA




Figure 152 Variance in waitlist mortality rates by DSA by age - all regions




Figure 153 Variance in waitlist mortality rates by DSA by sex - all regions




Figure 154 Variance in waitlist mortality rates by DSA by race/ethnicity - all regions

## Posttransplant Mortality

### Posttransplant Mortality Rates




Figure 155 Posttransplant mortality rates by age - all regions




Figure 156 Posttransplant mortality rates by sex - all regions




Figure 157 Posttransplant mortality rates by race/ethnicity - all regions

## Posttransplant Mortality Counts




Figure 158 Posttransplant mortality counts by age - all regions




Figure 159 Posttransplant mortality counts by sex - all regions




Figure 160 Posttransplant mortality counts by race/ethnicity - all regions

## Transport

### Median Transport Time




Figure 161 Median Transport Time by age - all regions




Figure 162 Median Transport Time by sex - all regions




Figure 163 Median Transport Time by race/ethnicity - all regions

## Median Transport Distance




Figure 164 Median Transport Distance by age - all regions




Figure 165 Median Transport Distance by sex - all regions




Figure 166 Median Transport Distance by race/ethnicity - all regions

## Percent of Organs Flown




Figure 167 Percent of Organs Flown by age - all regions




Figure 168 Percent of Organs Flown by sex - all regions




Figure 169 Percent of Organs Flown by race/ethnicity - all regions

## Appendix C: district definitions

As specified in previous OPTN data requests, the 8 districts modeled as part of this analysis will be defined as follows:

District Number	Includes the DSAs served by the following OPOs
<b>District 1</b>	LifeChoice Donor Services (CTOP), Washington Regional Transplant Community (DCTC), LifeLink of Georgia (GALL), New England Organ Bank (MAOB), The Living Legacy Foundation of Maryland (MDPC), LifeShare of the Carolinas (NCCM), Carolina Donor Services (NCNC), New Jersey Organ and Tissue Sharing Network (NJTO), Center for Donation and Transplant (NYAP), LiveOnNY (NYRT), Gift of Life Donor Program (PADV), LifeLink of Puerto Rico (PRL), LifePoint (SCOP), LifeNet Heath (VATB)
<b>District 2</b>	Gift of Life Michigan (MIOP), Finger Lakes Donor Recovery Network (NYFL), Upstate New York Transplant Services Inc (NYWN), LifeBanc (OHLB), Life Connection of Ohio (OHL), Lifeline of Ohio (OHL), and Center for Organ Recovery and Education (PATF).
<b>District 3</b>	Gift of Hope Organ & Tissue Donor Network (ILIP), Indiana Donor Network (INOP), Kentucky Organ Donor Affiliates (KYDA), LifeCenter Organ Donor Network (OHOP), Tennessee Donor Services (TNDS), Wisconsin Donor Network (WIDN), and UW Health Organ and Tissue Donation (WIUW)
<b>District 4</b>	Arkansas Regional Organ Recovery Agency (AROR), Mid-America Transplant Services (MOMA), and Mid-South Transplant Foundation (TNMS)
<b>District 5</b>	Iowa Donor Network (IAOP), LifeSource Upper Midwest Organ Procurement Organization (MNOP), Midwest Transplant Network (MWOB), Nebraska Organ Recovery System (NEOR), and LifeShare Transplant Donor Services of Oklahoma (OKOP)
<b>District 6</b>	Alabama Organ Center (ALOB), TransLife (FLFH), Life Alliance Organ Recovery Agency (FLMP), LifeQuest Organ Recovery Services (FLUF), LifeLink of Florida (FLWC), Louisiana Organ Procurement Agency (LAOP), Mississippi Organ Recovery Agency (MSOP), LifeGift Organ Donation Center (TXGC), Texas Organ Sharing Alliance (TXSA), and Southwest Transplant Alliance (TXSB)
<b>District 7</b>	Donor Network of Arizona (AZOB), Donor Alliance (CORS), New Mexico Donor Services (NMOP), and Intermountain Donor Services (UTOP)
<b>District 8</b>	Donor Network West (CADN), Sierra Donor Services (CAGS), OneLegacy (CAOP), Lifesharing - A Donate Life Organization (CASD), Legacy of Life Hawaii (HIOP), Nevada Donor Network (NVLV), Pacific Northwest Transplant Bank (ORUO), and LifeCenter Northwest (WALC)

## Appendix D: neighborhood definitions

As specified in the updated OPTN data request, the 58 neighborhoods modeled as part of this analysis will be defined as follows:

#	Neighborhood (procuring OPO/DSA)	Includes the DSAs served by the following OPOs							
1	ALOB-OP1 Alabama Organ Center	ALOB INOP OHLC TXSB	AROR KYDA OHLP	FLFH LAOP OHOV	FLMP MOMA PRL	FLUF MSOP SCOP	FLWC MWOB TNDS	GALL NCCM TNMS	ILIP NCNC TXGC
2	AROR-OP1 Arkansas Reg. Organ Recovery Agency	ALOB ILIP OHOV WIUW	AROR INOP OKOP	FLFH KYDA PRL	FLMP LAOP TNDS	FLUF MOMA TNMS	FLWC MSOP TXGC	GALL MWOB TXSA	IAOP NEOR TXSB
3	AZOB-OP1 Donor Network of Arizona	AZOB UTOP	CADN	CAGS	CAOP	CASD	CORS	NMOP	NVLV
4	CADN-OP1 Donor Network West	AZOB UTOP	CADN	CAGS	CAOP	CASD	NMOP	NVLV	ORUO
5	CAGS-OP1 Sierra Donor Services	AZOB UTOP	CADN	CAGS	CAOP	CASD	NMOP	NVLV	ORUO
6	CAOP-OP1 OneLegacy	AZOB	CADN	CAGS	CAOP	CASD	NMOP	NVLV	UTOP
7	CASD-IO1 Lifesharing - A Donate Life Org.	AZOB	CADN	CAGS	CAOP	CASD	NMOP	NVLV	UTOP
8	CORS-OP1 Donor Alliance	AZOB	CADN	CAGS	CAOP	CASD	NMOP	NVLV	UTOP
9	CTOP-OP1 LifeChoice Donor Services	CTOP NYFL VATB	DCTC NYRT	MAOB NYWN	MDPC OHLB	MIOP OHLC	NCNC OHLP	NJTO PADV	NYAP PATF
10	DCTC-OP1 Washington Reg Transplant Community	CTOP NCCM OHLC	DCTC NCNC OHLP	GALL NJTO OHOV	INOP NYAP PADV	KYDA NYFL PATF	MAOB NYRT SCOP	MDPC NYWN TNDS	MIOP OHLB VATB
11	FLFH-IO1 TransLife	ALOB MSOP	AROR NCCM	FLFH NCNC	FLMP PRL	FLUF SCOP	FLWC	GALL	LAOP
12	FLMP-OP1 Life Alliance Organ Recovery Agency	ALOB MSOP	AROR PRL	FLFH SCOP	FLMP	FLUF	FLWC	GALL	LAOP
13	FLUF-IO1 LifeQuest Organ Recovery Services	ALOB MSOP	AROR NCCM	FLFH NCNC	FLMP PRL	FLUF SCOP	FLWC TNDS	GALL TNMS	LAOP
14	FLWC-OP1 LifeLink of Florida	ALOB MSOP	AROR NCCM	FLFH PRL	FLMP SCOP	FLUF	FLWC	GALL	LAOP
15	GALL-OP1 LifeLink of Georgia	ALOB ILIP NCCM SCOP	AROR INOP NCNC TNDS	DCTC KYDA OHLB TNMS	FLFH LAOP OHLC VATB	FLMP MDPC OHLP	FLUF MIOP OHOV	FLWC MOMA PATF	GALL MSOP PRL
16	HIOP-OP1 Legacy of Life Hawaii	HIOP	ORUO	WALC					
17	IAOP-OP1 Iowa Donor Network	AROR MOMA TNDS	CORS MWOB TNMS	IAOP NEOR WIDN	ILIP OHLB WIUW	INOP OHLC	KYDA OHLP	MIOP OHOV	MNOP OKOP
18	ILIP-OP1 Gift of Hope	ALOB MNOP OHLP	AROR MOMA OHOV	GALL MWOB PATF	IAOP NEOR TNDS	ILIP NYFL TNMS	INOP NYWN WIDN	KYDA OHLB WIUW	MIOP OHLC
19	INOP-OP1 Indiana Donor Network	ALOB MDPC NEOR PATF	AROR MIOP NYFL SCOP	DCTC MNOP NYWN TNDS	GALL MOMA OHLB TNMS	IAOP MSOP OHLC VATB	ILIP MWOB OHLP WIDN	INOP NCCM OHOV WIUW	KYDA NCNC PADV
20	KYDA-OP1 KY Organ Donor Affiliates	ALOB MDPC	AROR MIOP	DCTC MNOP	GALL MOMA	IAOP MSOP	ILIP MWOB	INOP NCCM	KYDA NCNC

#	Neighborhood (procuring OPO/DSA)	Includes the DSAs served by the following OPOs							
		NEOR	NYFL	NYWN	OHLB	OHLC	OHLP	OHOV	PADV
		PATF	SCOP	TNDS	TNMS	VATB	WIDN	WIUW	
21	LAOP-OP1 Louisiana Organ Procurement Agency	ALOB	AROR	FLFH	FLMP	FLUF	FLWC	GALL	LAOP
		MOMA	MSOP	OKOP	PRL	TNDS	TNMS	TXGC	TXSA
		TXSB							
22	MAOB-OP1 New England Organ Bank	CTOP	DCTC	MAOB	MDPC	NCNC	NJTO	NYAP	NYFL
		NYRT	NYWN	OHLB	PADV	PATF	VATB		
23	MDPC-OP1 The Living Legacy Foundation of MD	CTOP	DCTC	GALL	INOP	KYDA	MAOB	MDPC	MIOP
		NCCM	NCNC	NJTO	NYAP	NYFL	NYRT	NYWN	OHLB
		OHLC	OHLP	OHOV	PADV	PATF	SCOP	TNDS	VATB
24	MIOP-OP1 Gift of Life Michigan	CTOP	DCTC	GALL	IAOP	ILIP	INOP	KYDA	MDPC
		MIOP	MNOP	MOMA	NCCM	NCNC	NJTO	NYAP	NYFL
		NYRT	NYWN	OHLB	OHLC	OHLP	OHOV	PADV	PATF
		TNDS	TNMS	VATB	WIDN	WIUW			
25	MNOP-OP1 LifeSource Upper Midwest OPO	IAOP	ILIP	INOP	KYDA	MIOP	MNOP	MOMA	MWOB
		NEOR	OHLC	OHOV	WIDN	WIUW			
26	MOMA-OP1 Mid-America Transplant Svcs	ALOB	AROR	CORS	GALL	IAOP	ILIP	INOP	KYDA
		LAOP	MIOP	MNOP	MOMA	MSOP	MWOB	NCCM	NEOR
		OHLB	OHLC	OHLP	OHOV	OKOP	PATF	TNDS	TNMS
		TXSB	WIDN	WIUW					
27	MSOP-OP1 Mississippi Organ Recovery Agency	ALOB	AROR	FLFH	FLMP	FLUF	FLWC	GALL	INOP
		KYDA	LAOP	MOMA	MSOP	MWOB	NCCM	OHOV	OKOP
		PRL	SCOP	TNDS	TNMS	TXGC	TXSA	TXSB	
28	MWOB-OP1 Midwest Transplant Network	ALOB	AROR	CORS	IAOP	ILIP	INOP	KYDA	MNOP
		MOMA	MSOP	MWOB	NEOR	OHOV	OKOP	TNDS	TNMS
		TXSB	WIDN	WIUW					
29	NCCM-IO1 LifeShare of the Carolinas	ALOB	DCTC	FLFH	FLUF	FLWC	GALL	INOP	KYDA
		MDPC	MIOP	MOMA	MSOP	NCCM	NCNC	NJTO	NYFL
		NYRT	NYWN	OHLB	OHLC	OHLP	OHOV	PADV	PATF
		SCOP	TNDS	TNMS	VATB				
30	NCNC-OP1 Carolina Donor Services	ALOB	CTOP	DCTC	FLFH	FLUF	GALL	INOP	KYDA
		MAOB	MDPC	MIOP	NCCM	NCNC	NJTO	NYAP	NYFL
		NYRT	NYWN	OHLB	OHLC	OHLP	OHOV	PADV	PATF
		SCOP	TNDS	TNMS	VATB				
31	NEOR-OP1 Nebraska Organ Recovery System	AROR	CORS	IAOP	ILIP	INOP	KYDA	MNOP	MOMA
		MWOB	NEOR	OKOP	TNMS	TXSB	WIDN	WIUW	
32	NJTO-OP1 NJ Organ and Tissue Sharing Network	CTOP	DCTC	MAOB	MDPC	MIOP	NCCM	NCNC	NJTO
		NYAP	NYFL	NYRT	NYWN	OHLB	OHLC	OHLP	OHOV
		PADV	PATF	VATB					
33	NMOP-OP1 New Mexico Donor Services	AZOB	CADN	CAGS	CAOP	CASD	CORS	NMOP	NVLV
		OKOP	TXSB	UTOP					
34	NVLV-OP1 Nevada Donor Network	AZOB	CADN	CAGS	CAOP	CASD	NMOP	NVLV	UTOP
35	NYAP-OP1 Ctr for Donation and Transplant	CTOP	DCTC	MAOB	MDPC	MIOP	NCNC	NJTO	NYAP
		NYFL	NYRT	NYWN	OHLB	OHLC	OHLP	PADV	PATF
		VATB							
36	NYFL-IO1 Finger Lakes Donor Recovery Network	CTOP	DCTC	ILIP	INOP	KYDA	MAOB	MDPC	MIOP
		NCCM	NCNC	NJTO	NYAP	NYFL	NYRT	NYWN	OHLB
		OHLC	OHLP	OHOV	PADV	PATF	VATB	WIDN	WIUW
37	NYRT-OP1 LiveOnNY	CTOP	DCTC	MAOB	MDPC	MIOP	NCCM	NCNC	NJTO
		NYAP	NYFL	NYRT	NYWN	OHLB	OHLC	OHLP	OHOV
		PADV	PATF	VATB					
38	NYWN-OP1 Upstate NY Transplant Svcs	CTOP	DCTC	ILIP	INOP	KYDA	MAOB	MDPC	MIOP
		NCCM	NCNC	NJTO	NYAP	NYFL	NYRT	NYWN	OHLB
		OHLC	OHLP	OHOV	PADV	PATF	VATB	WIDN	
39	OHLB-OP1 LifeBanc	CTOP	DCTC	GALL	IAOP	ILIP	INOP	KYDA	MAOB

#	Neighborhood (procuring OPO/DSA)	Includes the DSAs served by the following OPOs							
		MDPC NYRT TNDS	MIOP NYWN VATB	MOMA OHLB WIDN	NCCM OHLC WIUW	NCNC OHLP OHOV	NJTO OHOV PADV	NYFL PATF	
40	OHLC-OP1 Life Connection of Ohio	ALOB MDPC NYFL PATF	CTOP MIOP NYRT TNDS	DCTC MNOP NYWN TNMS	GALL MOMA OHLB VATB	IAOP NCCM OHLC WIDN	ILIP NCNC OHLP WIUW	INOP NJTO OHOV PADV	KYDA NYAP PADV
41	OHLP-OP1 Lifeline of Ohio	ALOB MDPC NYRT SCOP	CTOP MIOP NYWN TNDS	DCTC MOMA OHLB TNMS	GALL NCCM OHLC VATB	IAOP NCNC OHLP WIDN	ILIP NJTO OHOV WIUW	INOP NYAP PADV	KYDA NYFL PATF
42	OHOV-OP1 LifeCenter Organ Donor Network	ALOB MDPC NJTO PADV	AROR MIOP NYFL PATF	DCTC MNOP NYRT SCOP	GALL MOMA NYWN TNDS	IAOP MSOP OHLB TNMS	ILIP MWOB OHLC VATB	INOP NCCM OHLP WIDN	KYDA NCNC OHOV WIUW
43	OKOP-OP1 LifeShare Transplant Donor Svcs of OK	AROR NMOP	CORS OKOP	IAOP TNMS	LAOP TXGC	MOMA TXSA	MSOP TXSB	MWOB	NEOR
44	ORUO-IO1 Pacific NW Transplant Bank	CADN	CAGS	HIOP	ORUO	WALC			
45	PADV-OP1 Gift of Life Donor Program	CTOP NCNC OHLP	DCTC NJTO OHOV	INOP NYAP PADV	KYDA NYFL PATF	MAOB NYRT SCOP	MDPC NYWN VATB	MIOP OHLB	NCCM OHLC
46	PATF-OP1 Center for Organ Recovery and Educ.	CTOP MIOP NYWN TNDS	DCTC MOMA OHLB VATB	INOP NCCM OHLC WIDN	KYDA NCNC OHLP WIUW	MAOB NJTO OHOV	MDPC NYAP PADV	MIOP NYFL PATF	NCCM OHLC
47	PRLL-OP1 LifeLink of Puerto Rico	ALOB MSOP	AROR PRLL	FLFH	FLMP	FLUF	FLWC	GALL	LAOP
48	SCOP-OP1 LifePoint, Inc.	ALOB KYDA PATF	DCTC MDPC SCOP	FLFH MSOP TNMS	FLMP NCCM TNMS	FLUF NCNC VATB	FLWC OHLP	GALL OHOV	INOP PADV
49	TNDS-OP1 Tennessee Donor Svcs	ALOB KYDA NCNC TNMS	AROR LAOP OHLB VATB	DCTC MDPC OHLC WIDN	FLUF MIOP OHLP WIUW	GALL MOMA OHOV	IAOP MSOP PATF	ILIP MWOB SCOP	INOP NCCM TNDS
50	TNMS-OP1 Mid-South Transplant Foundation	ALOB LAOP OHLC TXSB	AROR MIOP OHLP VATB	FLUF MOMA OHOV WIDN	GALL MSOP OKOP WIUW	IAOP MWOB SCOP	ILIP NCCM TNDS	INOP NCNC TNMS	KYDA NEOR TXGC
51	TXGC-OP1 LifeGift Organ Donation Ctr	ALOB TXSB	AROR	LAOP	MSOP	OKOP	TNMS	TXGC	TXSA
52	TXSA-OP1 Texas Organ Sharing Alliance	AROR	LAOP	MSOP	OKOP	TXGC	TXSA	TXSB	
53	TXSB-OP1 Southwest Transplant Alliance	ALOB OKOP	AROR TNMS	LAOP TXGC	MOMA TXSA	MSOP TXSB	MWOB	NEOR	NMOP
54	UTOP-OP1 Intermountain Donor Services	AZOB UTOP	CADN	CAGS	CAOP	CASD	CORS	NMOP	NVLV
55	VATB-OP1 LifeNet Health	CTOP NCCM OHLC VATB	DCTC NCNC OHLP	GALL NJTO OHOV	INOP NYAP PADV	KYDA NYFL PATF	MAOB NYRT SCOP	MDPC NYWN TNDS	MIOP OHLB TNMS
56	WALC-OP1 LifeCenter Northwest	HIOP	ORUO	WALC					
57	WIDN-OP1 Wisconsin Donor Network	IAOP NEOR TNDS	ILIP NYFL TNMS	INOP NYWN WIDN	KYDA OHLB WIUW	MIOP OHLC	MNOP OHLP	MOMA OHOV	MWOB PATF

#	Neighborhood (procuring OPO/DSA)	Includes the DSAs served by the following OPOs							
58	WIUW-IO1 UW Health Organ and Tissue Donation	AROR	IAOP	ILIP	INOP	KYDA	MIOP	MNOP	MOMA
		MWOB	NEOR	NYFL	NYWN	OHLB	OHLC	OHLP	OHOV
		PATF	TNDS	TNMS	WIDN	WIUW			

## Appendix E: allocation ordering for policy scenarios simulated in LI2016\_04

As specified in previous OPTN data requests, the allocation ordering for current policy allocation, 8 district policy allocation, 500-mile concentric circle policy allocation, and neighborhood allocation are shown below.

### Current allocation (scenario 1)

*For adult donors:*

- Regional Status 1A
- Regional Status 1B
- DSA and Regional MELD/PELD  $\geq 35$  (by MELD)
- DSA MELD/PELD 15-34
- Regional MELD/PELD 15-34
- National Status 1A
- National Status 1B
- National MELD/PELD  $\geq 15$
- DSA MELD/PELD  $< 15$
- Regional MELD/PELD  $< 15$
- National MELD/PELD  $< 15$

*For adolescent donors (11-17 years):*

- DSA Pediatric Status 1A
- Regional Pediatric Status 1A
- DSA Adult Status 1A
- Regional Adult Status 1A
- DSA Pediatric Status 1B
- Regional Pediatric Status 1B
- DSA and Regional Any PELD
- DSA MELD  $\geq 15$ , 12-17 years
- DSA MELD  $\geq 15$ , 18+ years
- Regional MELD  $\geq 15$ , 12-17 years
- Regional MELD  $\geq 15$ , 18+ years
- DSA MELD  $< 15$ , 12-17 years
- DSA MELD  $< 15$ , 18+ years
- Regional MELD  $< 15$ , 12-17 years
- Regional MELD  $< 15$ , 18+ years
- National Pediatric Status 1A
- National Adult Status 1A
- National Pediatric Status 1B

National Any PELD  
National Any MELD, 12-17 years  
National Any MELD, 18+ years

*For child donors (0-10 years):*

Regional Pediatric Status 1A  
National Pediatric Status 1A, 0-11 years  
DSA Adult Status 1A  
Regional Adult Status 1A  
Regional Pediatric Status 1B  
Regional Any PELD  
DSA MELD  $\geq 15$ , 12-17 years  
DSA MELD  $\geq 15$ , 18+ years  
Regional MELD  $\geq 15$ , 12-17 years  
Regional MELD  $\geq 15$ , 18+ years  
DSA MELD  $< 15$ , 12-17 years  
DSA MELD  $< 15$ , 18+ years  
Regional MELD  $< 15$ , 12-17 years  
Regional MELD  $< 15$ , 18+ years  
National Status 1A, 12-17 years  
National Status 1A, 18+ years  
National Status 1B, 0-17 years  
National Any PELD  
National Any MELD, 12-17 years  
National Any MELD, 18+ years

**8 district allocation with threshold of MELD/PELD 29 or greater (scenarios 2 & 3)**

*For adult donors:*

District Status 1A  
District Status 1B  
District MELD/PELD  $\geq 29$   
DSA MELD/PELD  $\geq 15$   
District MELD/PELD  $\geq 15$   
National Status 1A  
National Status 1B  
National MELD/PELD  $\geq 15$   
DSA MELD/PELD  $< 15$   
District MELD/PELD  $< 15$   
National MELD/PELD  $< 15$

*For adolescent donors (11-17 years):*

District Pediatric Status 1A  
District Adult Status 1A  
District Pediatric Status 1B

District Any PELD  
District MELD  $\geq$  15, 12-17 years  
District MELD  $\geq$  15, 18+ years  
District MELD  $<$  15, 12-17 years  
District MELD  $<$  15, 18+ years  
National Pediatric Status 1A  
National Adult Status 1A  
National Pediatric Status 1B  
National Any PELD  
National Any MELD, 12-17 years  
National Any MELD, 18+ years

*For child donors (0-10 years):*

District Pediatric Status 1A  
National Pediatric Status 1A, 0-11 years  
District Adult Status 1A  
District Pediatric Status 1B  
District Any PELD  
District MELD  $\geq$  15, 12-17 years  
District MELD  $\geq$  15, 18+ years  
District MELD  $<$  15, 12-17 years  
District MELD  $<$  15, 18+ years  
National Status 1A, 12-17 years  
National Status 1A, 18+ years  
National Status 1B, 0-17 years  
National PELD  
National MELD, 12-17 years  
National MELD, 18+ years

**500-mile radius circle allocation with threshold of MELD/PELD 29 or greater  
(scenarios 4 & 5)**

*For adult donors:*

In-circle Status 1A  
In-circle Status 1B  
In-circle MELD/PELD  $\geq$  29  
DSA MELD/PELD  $\geq$  15  
In-circle MELD/PELD  $\geq$  15  
National Status 1A  
National Status 1B  
National MELD/PELD  $\geq$  15  
DSA MELD/PELD  $<$  15  
In-circle MELD/PELD  $<$  15  
National MELD/PELD  $<$  15

*For adolescent donors (11-17 years):*

In-circle Pediatric Status 1A  
In-circle Adult Status 1A  
In-circle Pediatric Status 1B  
In-circle Any PELD  
In-circle MELD  $\geq$  15, 12-17 years  
In-circle MELD  $\geq$  15, 18+ years  
In-circle MELD  $<$  15, 12-17 years  
In-circle MELD  $<$  15, 18+ years  
National Pediatric Status 1A  
National Adult Status 1A  
National Pediatric Status 1B  
National Any PELD  
National Any MELD, 12-17 years  
National Any MELD, 18+ years

*For child donors (0-10 years):*

In-circle Pediatric Status 1A  
National Pediatric Status 1A, 0-11 years  
In-circle Adult Status 1A  
In-circle Pediatric Status 1B  
In-circle Any PELD  
In-circle MELD  $\geq$  15, 12-17 years  
In-circle MELD  $\geq$  15, 18+ years  
In-circle MELD  $<$  15, 12-17 years  
In-circle MELD  $<$  15, 18+ years  
National Status 1A, 12-17 years  
National Status 1A, 18+ years  
National Status 1B, 0-17 years  
National PELD  
National MELD, 12-17 years  
National MELD, 18+ years

## Neighborhood allocation with threshold of MELD/PELD 29 or greater (scenarios 6 & 7)

### *For adult donors:*

- Neighborhood Status 1A
- Neighborhood Status 1B
- Neighborhood MELD/PELD  $\geq 29$
- DSA MELD/PELD  $\geq 15$
- Neighborhood MELD/PELD  $\geq 15$
- National Status 1A
- National Status 1B
- National MELD/PELD  $\geq 15$
- DSA MELD/PELD  $< 15$
- Neighborhood MELD/PELD  $< 15$
- National MELD/PELD  $< 15$

### *For adolescent donors (11-17 years):*

- Neighborhood Pediatric Status 1A
- Neighborhood Adult Status 1A
- Neighborhood Pediatric Status 1B
- Neighborhood Any PELD
- Neighborhood MELD  $\geq 15$ , 12-17 years
- Neighborhood MELD  $\geq 15$ , 18+ years
- Neighborhood MELD  $< 15$ , 12-17 years
- Neighborhood MELD  $< 15$ , 18+ years
- National Pediatric Status 1A
- National Adult Status 1A
- National Pediatric Status 1B
- National Any PELD
- National Any MELD, 12-17 years
- National Any MELD, 18+ years

### *For child donors (0-10 years):*

- Neighborhood Pediatric Status 1A
- National Pediatric Status 1A, 0-11 years
- Neighborhood Adult Status 1A
- Neighborhood Pediatric Status 1B
- Neighborhood Any PELD
- Neighborhood MELD  $\geq 15$ , 12-17 years
- Neighborhood MELD  $\geq 15$ , 18+ years
- Neighborhood MELD  $< 15$ , 12-17 years
- Neighborhood MELD  $< 15$ , 18+ years
- National Status 1A, 12-17 years
- National Status 1A, 18+ years
- National Status 1B, 0-17 years



National PELD  
National MELD, 12-17 years  
National MELD, 18+ years